

SECURITY ALL AROUND

All brands in the field of security gathered in one place, delivered quickly and reliably.

In this catalogue you can see a small part of our large selection. Online you will find more than 600,000 products to choose from.

 se.rs-online.com



Content

- 5 Personal Protection
- 17 Access control
- 18 Electrical Test & Measurement
- 20 Enclosures & accessories
- 21 Installation technology
- 22 Air Quality Monitors
- 23 UPS - power supplies
- 24 ESD Control & Clean room
- 26 Fire alarm systems & testers
- 27 First aid
- 28 Facilities cleaning & Maintenance
- 29 Workplace safety
- 30 Hand tools
- 33 Cables & accessories
- 37 Machine Safety

You can also find us on




Terms and Conditions:

You will find our latest prices and complete terms and conditions in RS sales conditions at se.rs-online.com.

The prices are the current prices when handed in for printing. Prices are exclusive of VAT and shipping costs. The current prices are available at se.rs-online.com. RS reserves the right to if all products are available in stock at the time of ordering.

Published by: RS Components Limited. Home: Birchington Road, Weldon, Corby, Northamptonshire NN17 9 RS, UK.

CVR number: 1002091. RS Components Ltd. 2021
RS is a brand by RS Components Limited, a Electrocomponents corporation.



The human being in focus

Dear customer,

Safety and protection have been on everyone's lips for the last few years, and this has sharpened our focus on safety in the workplace, both in the form of personal protective equipment and at the production site.

New innovative products have seen the light of day as a result. For example, antimicrobial self-adhesive films for surface hygiene for push buttons and door handles, as well as contactless door openers. And some products have been further developed, such as people counters.

It has become clear that people are the deciding factor for all areas of security. Our personal protective equipment can be as good as it can be, but we must use them correctly so that they can provide full protection and not are seen as difficult to use. Also, machine safety must be an integral part of the production environment.

In this catalogue you can see a selection of how RS can help you with both personal protective equipment and with electrical and machine safety.

We have all the leading brands in stock, but we can also offer you our own brand, RS PRO, which gives you a wide range of alternatives with the same high quality, just at a much lower price. Happy reading!

If you would like to see more, take a look at se.rs-online.com

Best regards



Claus Pedersen
Sales Director -
RS Scandinavia

Your benefits as an RS customer:



Free delivery for orders more than 500 kr.



Online you can find more than 600,000 products



Fast delivery - usually next working day



We can calibrate your new products



Choose from more than 2,500 brands



If you need personal support, contact customer service at kund@rsonline.se or our sales team at se.rs-online.com/services

RS COMPONENTS



se.rs-online.com

RS Components AB

Fabriksgatan 7, 3v
412 50 Göteborg
0771-458900
kund@rsonline.se

Professionell skyddsutrustning från väletablerade tillverkare som bidrar till en säkrare arbetsplats



RS PRO helmets

- Industrial helmets in accordance with DIN EN 397 made of polypropylene
- Insulating in accordance with EN 50365, for use in low-voltage systems
- With 4-point plastic suspension
- bracket with adjustable buckle
- Sizes 55 to 62 cm



184-5950	Helmet, white	75, 18 kr
918-5642	Helmet, green	67, 21 kr
918-5646	Helmet, blue	65, 37 kr
184-5951	Helmet, yellow	73, 79 kr
918-5655	Helmet, orange	67, 21 kr

3M Securefit helmet

- Developed by 3M for safety - designed for convenience
- Reduces pressure on the forehead by an average of 20% Offers a custom fit like no other helmet
- Large selection of optional accessories, available in ventilated and non-ventilated versions



3M Peltor™

186-0614	SecureFit™, white	612, 43 kr
186-0616	SecureFit™, blue	612, 43 kr

PETZL Vertex helmets

- Very comfortable ABS helmets with six-point textile suspension
- CentreFit and FLIP & FIT systems guarantee a secure fit on the head
- Adjustable chin strap, ideal for working at height and stooped
- Vented version with ventilation slots with slide locks
- With a device for Petzl headlamps, ear defenders or accessories



186-0259	Vertex helmet, white	937, 15 kr
187-9610	Vertex helmet, orange	1 079, 09 kr
186-0261	Vertex Vent helmet, white	937, 15 kr
186-0260	Vertex Vent helmet, black	937, 15 kr

JSP EVO2 helmet

- Robust HDPE helmets, with 440 Vac insulation protection 3D fit with depth adjustment due to unique 1-2-3 point straps
- Side and rear ventilation
- One-touch slide ratchet, easy to install and adjustable
- Universal slots for safety visors and ear defenders
- Resistant to metal melt spatter



750-6754	EVO2 helmet, yellow	87, 99 kr
750-6779	EVO2 helmet, orange	87, 99 kr
750-6750	EVO2 helmet, white	85, 21 kr
750-6760	EVO2 helmet, red	80, 96 kr

Uvex Pheos Safety Helmet

- Sporty safety helmets, with maximum protection and comfort
- Climazone ventilation and flexible 3D suspension
- Resistant to molten metal splashes
- Euroslot adapter for hearing protectors and front slot for helmet lights
- Suspension belt with ratchet for stepless width adjustment
- Six-point textile suspension ensures optimal fit and comfort
- 4-point chinstrap
- Meets all safety requirements according to EN 397, for construction and industry



185-3492	Pheos PE safety helmet with chin strap, white	372, 76 kr
175-4401	Pheos ABS safety helmet ventilated, white	571, 91 kr

Beanie cap with LED light

- Warm acrylic hat features a removable LED front light for superior visibility in low light conditions. The rechargeable LED can be charged in a USB port.



171-6852	Beanie cap, yellow	119, 05 kr
171-6853	Beanie cap, orange	119, 05 kr
171-6855	Beanie cap, black	119, 05 kr
171-6854	Beanie cap, blue	119, 05 kr

RS PRO safety glasses

- Metal-free safety goggles in a modern design, for use over glasses
- All-round and eyebrow protection
- Ventilated, for excellent wearing comfort
- Made of tough polycarbonate with 99% UV protection
- High durability thanks to the scratch-resistant coating



161-1581	Safety goggles grey/grey, wide rim
918-5740	Safety goggles black/bronze, narrow rim
171-6808	Safety goggles brown/grey, wide rim
171-6810	Safety goggles black/grey, narrow rim
918-5737	Safety goggles black/clear, narrow rim



50, 75 kr
44, 28 kr
44, 28 kr
119, 99 kr
51, 69 kr

RS PRO full-view safety goggles

- Full-view safety goggles with indirect ventilation
- Acetate lenses suitable for chemical applications
- High-quality anti-fog coating, EN166 N marking
- Soft frame, for a comfortable fit



918-5771	Full-view safety goggles, clear
-----------------	---------------------------------



98, 33 kr

3M SecureFit 400 safety glasses

- Stylish, lightweight and comfortable safety goggles
- Different coloured lenses with clear view
- Scratch-proof, with anti-fog coating
- Self-adjusting pressure diffusion bar, for a perfect fit



824-5425	Safety goggles, scratch-resistant / anti-fog, clear lenses	81, 63 kr
824-5434	Safety goggles, scratch-resistant / anti-fog, clear lenses	110,80 kr
136-3639	Safety goggles, scratch-resistant / anti-fog, clear lenses	166, 69 kr

uvex PHEOS CX2 safety glasses

- Optimal eye protection in every situation
- Soft component connected directly to the glass against dust and water
- The innovative uvex X-tended eyeshield adapts perfectly to the shape of the face
- Comfortable to wear and one hundred percent protection
- uvex supravision excellence coating: anti-fog on the inside, extremely scratch-resistant and chemical-resistant on the outside



185-3499	CX2 safety goggles, blue/clear	121, 29 kr
184-5862	CX2 safety goggles, white/brown	121, 29 kr

uvex Ultrasonic safety goggles

- Small safety glasses in accordance with EN166 B, K, N - for complete eye protection
- Weighing only 69 g, with an excellent fit and comfort
- Polycarbonate lens glass 2.1 mm thick, scratch and shock resistant
- Can be worn with a hard hat
- Frame material / front piece PA / TPE, synthetic headband



130-2342	U-Sonic safety glasses, orange/clear	123, 05 kr
195-1558	U-Sonic safety glasses, grey/clear	149, 61 kr
195-1559	U-Sonic safety glasses, black/grey	164, 40 kr

3M ear plugs

- Selection of ear plugs for use in noisy work environments
- With a soft, adaptable surface
- Effective dirt-repellent, which improves hygiene
- Self-adaptation to the ear canal



3M

203-4950	Ear plugs 30 dB yellow with cord, x 125
203-4949	Ear plugs 30 dB yellow, x 100
385-1261	Ear plugs 36 dB yellow, x 500
185-6819	Electronic earplugs set, 32 dB, green

1 441, 75 kr
791, 50 kr
1 476, 06 kr
2 118, 40 kr



RS PRO disposable ear plugs

- Soft polyurethane ear plugs
- Very comfortable to wear, adapt to the contour of the ear
- Protect your hearing from harmful noise
- Excellent insulation values



RS PRO

918-5709	Ear plugs 30 dB, orange, dispenser box x 500
918-5703	Ear plugs 37 dB, orange, refill pack x 500
918-5696	Ear plugs 37 dB orange with cord, x 200
184-5935	Ear plugs 30 dB, orange, x 200
918-5706	Ear plugs 37 dB yellow with cord, x 200

825, 39 kr
530, 11 kr
503, 89 kr
294, 75 kr
788, 48 kr



RS PRO ear defender

- Classic RS PRO headband ear defender with helmet attachment PW40
- Very light and robust, ideal for everyday use
- Excellent insulation values up to 32 dB
- Available in various bright colours



RS PRO

161-1188	Ear defender, 32 dB	128, 50 kr
184-5931	Ear defender, 28 dB	50, 55 kr
161-1585	Helmet ear defender, 26 dB	96, 19 kr



3M PELTOR X headband ear defenders

- High-performance ear defenders in extremely noisy environments
- Perfect mix of PELTOR standards with an attractive design
- Combines wearing comfort and excellent functions
- For improved efficiency in your workplace
- Wide, soft cushions made from innovative foam



3M Peltor™

778-5200	Ear defenders PELTOR X1 green, 27 dB	222, 88 kr
778-5212	Ear defenders PELTOR X2 orange, 31 dB	284, 94 kr
778-5225	Ear defenders PELTOR X3 red, 33 dB	321, 73 kr
778-5222	Ear defenders PELTOR X4 yellow, 33 dB	371, 75 kr
778-5234	Ear defenders PELTOR X5 white, 37 dB	420, 37 kr



uvex K headband ear defenders

- uvex K headband ear defenders Earmuffs with headband for long-term use
- Earmuff pad made of memory foam, for optimal comfort
- Excellent insulation values
- Low volume and weight



uvex

196-5236	uvex K ear defenders, yellow, 35 dB	389, 15 kr
-----------------	-------------------------------------	-------------------



3M half mask series 4000

- Light, comfortable reusable breathing protection half masks of the 4000 series from 3M
- For effective protection against particles, vapours and acid gases
- Integrated filters that do not interfere with the field of vision
- Adjustable headrest and neck straps adapt to every head shape
- Breathing valve with reduced breathing resistance removes moisture downwards and prevents fogging of glasses
- Suitable for use with 3M ear defenders and goggles



3M

189-3493	4251+ breathing protection half mask
189-3494	4255+ breathing protection half mask
189-3495	4277+ breathing protection half mask
189-3496	4279+ breathing protection half mask

286, 65 kr
373, 03 kr
431, 36 kr
479, 56 kr

3M half mask, series 800

- SecureClick® series HF-800 respirators from 3M
- The world's first 4-way airflow filter system in a reusable half mask
- Simple, convenient and effective protection against particles and various gases and vapours when used with approved 3M Secure Click® cartridges and filters
- Greater breathability and comfort thanks to the Quadflow cartridge system
- With speech membrane to facilitate communication at work



3M

190-1912	HF-800 breathing protection half mask, size M
190-1914	HF-800 breathing protection half mask, size L
190-1913	HF-800SD breathing protection half mask, size M
190-1915	HF-800SD breathing protection half mask, size L

469, 32 kr
792, 34 kr
516, 35 kr
516, 24 kr

3M replacement filter for HF-800 half masks

- Dual-flow cartridges and filters for easier breathing, even in the harshest environments
- Various gas, particle and vapour filters for use with 3M half masks
- Balanced, sleek design minimises the weight when carried
- By positioning the filters an excellent field of view is obtained



3M

190-1902	D8051 replacement particle filter for masks HF-800	149, 51 kr
190-1901	D7935 replacement particle and gas filter for masks HF-800	109, 72 kr
190-1896	D3135 replacement particle filter for masks HF-800	115, 70 kr

Disposable face masks

- Large selection of disposable face masks at RS
- For daily use to reduce cross infections from breathing, sneezing and coughing
- High-quality three-layer masks, light and breathable
- Ensure bacteria filtration efficiency of up to 95%
- With flexible nose clip for an optimal, secure fit over the nose and mouth.



RS PRO

201-2393	Disposable face masks, blue, 3-layer, x 50	74, 65 kr
204-2167	Reusable face masks, white, 3-layer, x 4	118, 96 kr

FFP2 face masks

- Shell-shaped FFP2 disposable respirator in a clip-free construction
- Multi-layer filtration for respiratory protection against fine, toxic dusts, vapours and water-based mists
- Contoured nose seal with adjustable nose clip
- Light to wear even over long periods of time



RS PRO

201-2391	FFP2 disposable respirators, x 20	43, 72 kr
-----------------	-----------------------------------	------------------

High-visibility fleece jackets

- Durable fleece jacket in accordance with EN ISO 20471 Class 3 / EN 14058 Class 2
- Reflective tape on the body and arms, robust materials
- One inside and two side pockets
- Sun protection factor 50+



141-7774	High-visibility fleece jacket, yellow, size M	417, 21 kr
141-7775	High-visibility fleece jacket, yellow, size L	417, 21 kr
141-7776	High-visibility fleece jacket, yellow, size XL	417, 21 kr
141-7779	High-visibility fleece jacket, orange, size M	417, 21 kr
141-7780	High-visibility fleece jacket, orange, size L	417, 21 kr
141-7781	High-visibility fleece jacket, orange, size XL	417, 21 kr

Softshell jackets

- Fashionable and comfortable softshell jacket
- Zipper on the front
- Storm flap inside
- Four outside pockets and three inside pockets
- Material: 93% polyester and 7% elasthane
- Available in different colours



136-9985	Softshell jacket, black, size M	526, 80 kr
136-9983	Softshell jacket, black, size L	526, 80 kr
136-9987	Softshell jacket, black, size XL	526, 80 kr
136-9982	Softshell jacket, black, size XXL	526, 80 kr

High-visibility coveralls and overalls, flame-retarding

- High-visibility overalls made of modacrylic and cotton
- Protection against radiation, convective and contact heat
- Flame-retarding properties are retained even after washing
- Two-way zipper at the front made of robust brass for easy access
- Fabric blocks 98% of UV rays
- CE certified, welding protection class 1



161-1965	High-visibility overalls, size M	2 207, 63 kr
161-1966	High-visibility overalls, size L	2 207, 63 kr
161-1967	High-visibility overalls, size XL	2 207, 63 kr
161-1968	High-visibility overalls, size XXL	2 207, 63 kr

RS PRO unisex coveralls

- RS PRO unisex coveralls in classic boiler suit style
- Material: Kingsmill, polyester-cotton
- Fabric with sun protection factor 50+
- Highest quality, does not shrink
- With hammer loop, eight pockets



124-8234	Coverall with zipper, size M	278, 66 kr
124-8235	Coverall with zipper, size L	278, 66 kr
124-8236	Coverall with zipper, size XL	278, 66 kr
124-8237	Coverall with zipper, size XXL	278, 66 kr

uvex 7450 softshell jackets

- Men's softshell jackets with zip, graphite colour
- Material: 60% cotton, 40% polyester, approx. 280 g/m²
- Regular fit, ergonomic cut, stand-up collar
- Rubber elastic in the cuffs
- Breast pocket on the left, two side pockets



187-9741	Men's softshell jacket, size S	798, 45 kr
187-9742	Men's softshell jacket, size M	798, 45 kr
187-9743	Men's softshell jacket, size L	798, 45 kr
187-9744	Men's softshell jacket, size XL	798, 45 kr
187-9745	Men's softshell jacket, size XXL	798, 45 kr

RS PRO high-visibility windcheaters

- Unisex windbreakers, neon yellow, with reflective stripes
- Excellent beading, waterproof design
- Fully lined and padded to retain heat
- With two-way zipper and four pockets for plenty of storage space
- Hidden mobile telephone pocket and inside breast pocket
- EN 343 class 3: 1, EN ISO 20471 class 3



184-5962	High-visibility jacket, size M	372, 28 kr
184-5963	High-visibility jacket, size L	379, 75 kr
184-5964	High-visibility jacket, size XL	372, 28 kr
184-5965	High-visibility jacket, size XXL	372, 28 kr

Dewalt Storm men's jackets

- Lightweight, waterproof hooded jacket made of polyester
- Concealed hood with storm flap
Material: Rip-stop polyester, mesh lining made of polyester
- With zip and Velcro cuffs, ventilated back
- One breast pocket and two side pockets, all with zip
- Modern design, with reflective tubes on the forearms and pockets



144-1154	Hooded jacket, grey, size M	690, 40 kr
144-1155	Hooded jacket, grey, size L	690, 40 kr
144-1156	Hooded jacket, grey, size XL	690, 40 kr
144-1157	Hooded jacket, grey, size XXL	690, 40 kr

RS PRO high-visibility vest, orange

- High-visibility vest, with reflective stripes
- Generous fit, light and comfortable
- Velcro fastener for easy use
- Certified according to EN ISO 20471 class 2



184-5967	High-visibility vest, orange, size → M	63, 45 kr
184-5968	High-visibility vest, orange, sizes L→ XL	64, 73 kr
184-5969	High-visibility jacket, orange, sizes XXL→ XXXL	63, 45 kr

RS PRO unisex fleece jacket

- Classic micro fleece jacket with zip
- Warm and comfortable to wear in general work environments
- Material: 100% polyester
- Stylish mandarin collar, elastic cuffs
- Double seams and hem



137-0171	Fleece jacket, black, size S	240, 37 kr
137-0170	Fleece jacket, black, size M	240, 37 kr
137-0169	Fleece jacket, black, size L	240, 37 kr
137-0172	Fleece jacket, black, size XL	240, 37 kr
137-0168	Fleece jacket, black, size XXL	240, 37 kr

RS PRO unisex polo shirts

- Classic polo shirt with taped neck, knitted collar
- Hemmed on the sleeves and at the bottom
- Material: 50% cotton, 50% polyester
- Different colours available on RS Online



137-0076	Short-sleeved polo shirt, grey, size S	132, 66 kr
-----------------	--	-------------------

uvex suXXeed 7452 work trousers

- Men's regular fit dungarees, ergonomic cut
- Material: 65% polyester, 35% cotton graphite, approx. 245 g/m²
- Inserted wedge in the crotch area
- Stretch insert and elastic in the back waistband
- Bib pocket with flap and attached pen pocket
- Adjustable buckles for individual adjustment of the straps
- Side pocket with flap, ruler pocket, two back pockets



187-9710	uvex suXXeed men's dungarees, size 42	798, 45 kr
187-9711	uvex suXXeed men's dungarees, size 44	798, 45 kr
187-9712	uvex suXXeed men's dungarees, size 46	798, 45 kr
187-9713	uvex suXXeed men's dungarees, size 48	798, 45 kr
187-9714	uvex suXXeed men's dungarees, size 50	798, 45 kr
187-9715	uvex suXXeed men's dungarees, size 52	798, 45 kr

RS PRO men's work trousers

- Kingsmill fabric guarantees top performance and maximum comfort
- Extremely resistant and robust
- Six pockets with Velcro flaps
- Material: 60% polyester and 35% cotton, 245 g/m²
- Sun protection factor 50+



124-8218	Men's trousers, W 32 × L 31	237, 72 kr
124-8219	Men's trousers, W 34 × L 31	237, 72 kr
124-8220	Men's trousers, W 36 × L 31	237, 72 kr
124-8221	Men's trousers, W 38 × L 31	237, 72 kr
124-8222	Men's trousers, W 40 × L 31	237, 72 kr

uvex Phynomic work gloves

- The uvex Phynomic series is suitable for all work that requires a high level of feeling
- These protective gloves are particularly light and flexible - without your hands sweating immediately
- With innovative Xtra Grip-Aqua polymer foam coating, for a good grip, even with oily objects



uvex

195-1574	uvex Phynomic, black, size 6	55, 52 kr
195-1576	uvex Phynomic, black, size 8	55, 52 kr
195-1577	uvex Phynomic, black, size 9	55, 52 kr
195-1578	uvex Phynomic, black, size 10	55, 52 kr
195-1580	uvex Phynomic, black, size 12	55, 52 kr

Sibille insulating gloves made of latex

- Class 4 latex undergloves for electrical insulation up to 36 kVac
- Based on natural latex with excellent dielectric properties
- Ergonomic shape, lightly powdered inside for easier putting on and taking
- Wear leather overgloves for mechanical protection



131-4731	Latex insulating gloves, size 8	1 533, 14 kr
131-4732	Latex insulating gloves, size 9	1 533, 14 kr
131-4733	Latex insulating gloves, size 10	1 533, 14 kr
131-4734	Latex insulating gloves, size 11	1 533, 14 kr

PU work gloves with polyurethane coating

- Breathable work gloves made of pylon/PU, grey
- Adapts perfectly to the shape of the hand
- Perfect when handling fine applications
- Seamless lining, palm with smooth PU coating
- Excellent abrasion and tear resistance



184-5987	PU work gloves, grey, size 8	19, 30 kr
184-5988	PU work gloves, grey, size 9	19, 30 kr
184-5989	PU work gloves, grey, size 10	19, 30 kr

Leather work gloves

- Hardwearing leather with extreme durability
- Ergonomic fit for optimal comfort
- Insulatex lining provides thermal protection when working in cold environments
- Approvals: EN 388:2016 3.2.4.3.X, EN 511 2.2.X, EN 421



184-6019	Gloves, yellow, size 9	83, 29 kr
184-6020	Gloves, yellow, size 10	75, 82 kr

Cut-resistant gloves, cut 3

- Grey protective gloves, material: HPPE, fibreglass, PU
- Breathable, seamless lining, excellent sensitivity
- Knit size 13, smooth PU coating in the palm
- EN and ANSI cut protection class 3 gloves



184-6008	Cut 3 cut-resistant gloves, size 8	63, 77 kr
184-6010	Cut 3 cut-resistant gloves, size 9	63, 77 kr
184-6011	Cut 3 cut-resistant gloves, size 10	76, 35 kr

Cut-resistant gloves, cut 5

- Grey protective gloves, material: HPPE, fibreglass, PU
- Seamless PU coating in the palm, for comfort and freedom of movement
- Excellent abrasion and tear resistance
- Cut protection class 5 gloves
- Maximum protection against sharp objects and cuts



184-6014	Cut 5 cut-resistant gloves, size 8	76, 35 kr
184-6015	Cut 5 cut-resistant gloves, size 9	76, 35 kr
184-6016	Cut 5 cut-resistant gloves, size 10	76, 35 kr

exArmor arm protection AG8TW

- Specially developed for maximum protection against stitches and cuts
- Helps prevent injury in the harshest work environments
- Light and air permeable
- Spandex wrist insert with thumb hole



→POLYCO

- 760-8884** exArmor arm protection, size M
- 760-8888** exArmor arm protection, size L
- 760-8897** exArmor arm protection, size XL



- 799, 16 kr**
- 799, 16 kr**
- 799, 16 kr**

RS PRO high-visibility overalls

- High-visibility overalls made of heavy, robust fabric, orange
- Material: 80% polyester and 20% cotton, 280 g / m²
- Durable design, for a long service life
- Reflective tape on arms, legs, chest and shoulders
- Generous fit, with an elastic waist
- Texpel surface repels dirt and stains
- Covered 2-way zipper
- Numerous pockets offer enough storage options



- 124-8214** High-visibility overalls, orange, size S
- 124-8215** High-visibility overalls, orange, size M
- 124-8216** High-visibility overalls, orange, size L
- 124-8217** High-visibility overalls, orange, size XL

- 713, 91 kr**
- 713, 91 kr**
- 713, 91 kr**
- 713, 91 kr**

Work socks from Scruffs

- The socks from the Trade series are comfortable and wear-resistant
- Mixture of 17% cotton, 46% polyamide, 7% elastane, with reinforced heel
- The extremely hard-wearing socks from the Worker range are made of 60% cotton, 25% polyester, 9% polypropylene
- Reinforced heel and toe areas, the lining keeps feet warm and comfortable
- Supplied in packs of three pairs



- 124-9603** Trade, 3 pairs of cotton socks, black 41 → 44 **216, 63 kr**
- 124-9604** Trade, 3 pairs of cotton socks, black 45 → 48 **216, 63 kr**
- 124-9605** Worker, 3 pairs of cotton socks, black, 41 → 44 **216, 63 kr**
- 124-9606** Worker, 3 pairs of cotton socks, black, 45 → 48 **216, 63 kr**

RS PRO knee pads

- Ergonomically designed knee pads, does not interfere with walking
- Standards: EN 14404 : 2004 + A1 : 2010, CE
- High-density polyurethane finish
- Ribbed construction for more stability and water protection
- All products in one size, delivered in pairs



- 184-5945** EVA foam knee pads with knee pocket on trousers **45, 54 kr**
- 918-6065** EVA foam knee pads with adjustable straps **182, 46 kr**
- 918-6068** Polyurethane knee pads with adjustment straps **95, 66 kr**

RS PRO knee mats

- Knee mats made of EVA foam or nitrile rubber
- To relieve the knees and back during strenuous work
- Robust and durable designs
- Different sizes and strengths available



- 184-5946** EVA knee mat, 20 × 185 × 400 mm **36, 58 kr**
- 872-5693** Rubber knee mat, 25 × 345 × 520 mm **175, 41 kr**
- 154-867** PU kneeling/sitting mat, 30 × 240 × 440 mm **315, 01 kr**

Puma Blaze Knit safety shoes

- Safety shoes, blue, with steel protective cap S1P
- Urban Protect series, 100% metal-free
- Kevlar protective sole
- Composite wear cap



161-7391	Safety shoes, blue, size 39	1 281, 02 kr
161-7392	Safety shoes, blue, size 40.5	1 403, 28 kr
161-7393	Safety shoes, blue, size 42	1 423, 11 kr
161-7394	Safety shoes, blue, size 43	1 423, 11 kr
161-7395	Safety shoes, blue, size 44.5	1 423, 11 kr
161-7396	Safety shoes, blue, size 46	1 403, 28 kr

Caterpillar safety boot S3

- Men's safety boots Cat Premier 8 made of full-grain leather, with SRX rubber sole
- Heavy work boots for harsh industrial environments
- Suitable for outdoor use in bad weather
- Side zip, with waterproof lining
- Composite midsole plate and toe cap for protection up to 200 joules



136-9969	Safety boots, black, size 7	2 546, 43 kr
136-9970	Safety boots, black, size 8	2 546, 43 kr
136-9971	Safety boots, black, size 9	2 546, 43 kr
136-9972	Safety boots, black, size 10	2 546, 43 kr
136-9973	Safety boots, black, size 11	2 546, 43 kr
136-9974	Safety boots, black, size 12	2 546, 43 kr

DeWALT safety sports shoes

- Men's safety shoes with toe caps made of steel
- Resistant to chemicals, oil, petrol and water
- Leather and mesh upper
- Antibacterial, comfortable insole
- Safety rating SB / SRA



797-5504	Safety sports shoes, black/yellow, size 40	858, 84 kr
797-5513	Safety sports shoes, black/yellow, size 41	899, 08 kr
797-5516	Safety sports shoes, black/yellow, size 42	899, 08 kr
797-5510	Safety sports shoes, black/yellow, size 43	858, 84 kr
797-5529	Safety sports shoes, black/yellow, size 44	858, 84 kr

RS PRO rubber boots S4

- Unisex rubber boots with toe cap made of steel, up to 200 joules
- Polymer upper and non-slip PVC sole, energy-absorbing heel
- Antistatic, waterproof and resistant to animal and vegetable oils and fats, fertilisers, disinfectants and various chemicals
- For use in the catering and food sector
EN ISO20345 tested, corresponds to the EN ISO20345 standard



899-7707	Rubber safety boots, white, size 41	288, 03 kr
899-7716	Rubber safety boots, white, size 42	288, 03 kr
899-7719	Rubber safety boots, white, size 43	288, 03 kr
899-7722	Rubber safety boots, white, size 45	288, 03 kr

Disposable overshoes

- Disposable overshoes for clean rooms, and the food and pharmaceuticals sectors
- Dustproof cover made of PE plastic
- With elastic ankle strap for a flexible, comfortable fit
- Excellent water resistance, for use in hygienic areas
- Particularly suitable for reducing cross-contamination between work environments



829-5366	Disposable overshoes, blue, layer, x 2,000	1 494, 08 kr
829-5363	Disposable overshoes, blue, layer, x 2,000	1 381, 57 kr

DBI-Sala safety harnesses

- Safety harnesses from the Comfort series made of soft, breathable material
- With corrosion-resistant buckles and eyelets
- Abrasion-resistant straps in a unique triangular shape
- Easy to put on and take off, while always keeping their shape
- Padded shoulder straps, do not cut into the neck
- Ergonomically shaped hip pads protect the hips and back while carrying heavy loads



123-6153	Body harness → 140 kg, eyelet front/back, shoulder padding	1 648, 40 kr
123-6154	Body harness → 140 kg, eyelet at the back, shoulder padding	2 100, 06 kr
161-8389	Body harness → 140 kg, eyelet at the back	1 367, 15 kr

Facom safety carabiner

- Stainless steel with excellent corrosion resistance
- Fast, easy assembly/disassembly
- Non-locking latch - for easy access
- For securing tools and equipment when working at height




0



910-3350	Facom 60SLS stainless steel carabiner	50, 16 kr
-----------------	---------------------------------------	------------------

Protecta safety lanyard

- Suitable as a connecting element in fall protection systems
- Made of polyamide, with identification thread and identification label
- Diameter 10.5 mm - available in different lengths
- Breaking strength 2,200 daN



123-6174	Safety lanyard, length 2 m	224, 90 kr
123-6173	Safety lanyard, length 1.5 m	205, 66 kr
161-8387	Safety lanyard, length 1.3 m	755, 76 kr
123-6172	Safety lanyard, length 1 m	191, 60 kr

Petzl Newton EasyFit safety harness

- A wide variety of harnesses from the EasyFit series by Petzl Newton
- Waistcoat keeps the belt in shape, sternal automatic FAST buckle and leg loop
- Quick and easy to put on, for heights from 165 to 185 cm
- Hip belt: 70 to 93 cm, leg loops: 47 to 62 cm
- Dead weight: 1.3 kg



217-5621	Rapid lashing safety harness, size S, → 140 kg	2 007, 83 kr
217-5622	Rapid lashing safety harness, size M, → 140 kg	2 007, 83 kr
217-5624	Rapid lashing safety harness, size L, → 140 kg	2 007, 83 kr
217-5627	Rapid lashing safety harness, size XL, → 140 kg	2 294, 82 kr

Sibille TP12EC rescue hooks

- Tool for rescuing injured persons from voltage ranges up to 45 kV
- The injured person can be grabbed by the waist to bring them to a protected area
- Test voltage at 300 mm: 100 kV
- Insulated rod with hook made of 18 × 150 mm steel tube



918-2460	Sibille TP12EC rescue hook 1.5 m	1 024, 06 kr
-----------------	----------------------------------	---------------------

Honeywell safety Self Retracting Lifeline

- PSS Turbo-lite self-retracting fabric lifeline, 2 m
- Housing made of shockproof nylon
- Stainless steel braking system
- Vectram webbing: 1.5 × 25 mm



104-0892	Honeywell Safety Self Retracting Lifeline, 2 m	1 815, 76 kr
-----------------	--	---------------------

RS PRO tool balancer


- Tool balancer for hanging and positioning tools
- Use for workplace optimisation, hand tools always within reach
- Can also be used as a fall protection for tools



793-2771	Load capacity 1.6 m/3 kg	639, 31 kr
793-2777	Load capacity 1.6 m/2 kg	560, 71 kr
793-2774	Load capacity 1.6 m/1.2 kg	560, 71 kr

Facom tool lanyard

- Different designs of loops
- With two stainless steel spring hooks each with a screw lock
- Withstand extreme temperatures and working conditions
- For securing tools and devices to the belt or wrist when working at height



910-3338	LAN1.2 tool lanyard, → 6 kg	277, 53 kr
910-3331	LAN-WRT1.2 tool lanyard, → 6 kg	274, 45 kr
910-3347	CT-ACC2M belt ring, → 4 kg	199, 50 kr

RS PRO tool lanyard

- Indispensable work equipment when working at height
- When choosing a tool lanyard, the carrying weight must be taken into account



151-2996	Tool lanyard 1.4 m/→ 2 kg	228, 64 kr
151-2995	Tool lanyard 1.4 m/→ 4.5 kg	211, 71 kr
707-7296	Wrist strap, large	43, 83 kr
707-7293	Wrist strap, medium	46, 02 kr

Plastic helmet with lanyard

- Elastic safety helmet strap with buckle
Secures the safety helmet from falling



151-2984	E3150 helmet lanyard, → 0.9 kg	78, 38 kr
151-2985	E3155 helmet lanyard, → 0.9 kg	78, 38 kr

Height-safe diagonal cutters

- Powerful diagonal cutters with two-component handles
- Made of chrome-vanadium steel, for soft and hard wires
- Safety system, for use at great heights



910-3177	Facom SLS diagonal cutters, 160 mm	401, 05 kr
910-3186	Facom SLS diagonal cutters, 200 mm	515, 36 kr

Height-safe locking pliers

- Fast and easy to use Facom tool, with SLS fastening, to protect against falling
- Lever for quick change of span width



910-3221	Facom locking pliers, 230 mm	618, 18 kr
910-3224	Facom locking pliers, 250 mm	624, 77 kr

De viktigaste produkterna för din driftsäkerhet och skydd av elektriska system, i överblick.

Klicka på ett område för att se produkter och varumärken.



Thermal imaging cameras

- Combine all important functions for high-quality thermographic measurements at an affordable price
- Accurate, fast, reliable and robust enough to withstand the rough daily use
- Very good picture quality
- Large temperature measuring range



125-2265	Testo 865 - thermal imaging camera, 160 x 120 pixels	10 653, 34 kr
125-2266	Testo 868 - thermal imaging camera, 160 x 120 pixels	16 305, 26 kr
125-2267	Testo 871 building diagnosis set - smart mould set	21 743, 90 kr
125-2268	Testo 872 thermal imaging camera, 320 x 240 pixels	29 357, 99 kr

RS-8806S IR thermometer

- Precise, non-contact measurement of temperature in °C or °F
- Housing and surface temperature can also be selected
- Storage of the last 32 measurements
- Measured value storage and automatic switch-off
- Display resolution 0.1°C



201-0210 RS-8806S IR thermometer, → 60°C



627, 36 kr



202-0774 RS PRO face scanner with IR thermometer

RS PRO access control system

- Intelligent door opener system with thermal imaging camera from RS PRO
- For applications in the area of access control, attendance in offices, schools and business premises
- Technology is based on the detection of body temperature



9 128, 17 kr

Barth people counter

- People counter with traffic light display and buzzer
- Access monitoring to protect customers and employees
- Control of inflow and traffic in rooms
Maximum number of people can be set easily via touch display
- Quick setup in less than 5 minutes
Ideal for retail, catering, chemist's shops and service providers



12 690, 16 kr



201-7846 BARTH people counter PC-10

Mechanic hand-held counter

- Mechanical 4-digit hand-held counters
- Also suitable for table mounting
- For monitoring of flows of pedestrians, visitors, passengers or vehicles



710-5212 4-digit upwards counter, 65 × 39 × 46 mm

70, 70 kr

710-5216 4-digit upwards counter, 65 × 39 × 53 mm

162, 09 kr

Multi-function test equipment

- Multifunctional electrical installation tester for various uses CF and RT models for automotive use, wiring and relay testing
- MT-6600 models for selective voltage measurement between L-N, L-PE and N-PE
- Test voltage 1,000 V, continuity test current 1 mA
- Please refer to RS Online for complete data



200-3705	CF-02 vehicle electrical installation tester	426, 56 kr
200-3704	RT-05 automotive Current tester	164, 23 kr
144-5338	MT-6600 electrical installation tester	6 397, 76 kr
177-9342	MT-6600 electrical installation tester and Bluetooth Clamp Meter	8 131, 83 kr

RS PRO voltage indicator

- Double-pole voltage display and continuity test
- For quick, accurate results when testing circuits
- Combining function and versatility, a must-have for every electrician tool kit



205-0093	DT-9230 voltage indicator, → 600 VAC/DC	518, 91 kr
124-1961	IVT-10 voltage indicator, → 750 VAC/DC	567, 64 kr
124-1962	IVT-20 voltage indicator, → 750 VAC/DC	817, 29 kr

GMW multi-function test equipment

- Multifunctional electrical installation tester from the PROFITEST series from Gossen Metrawatt
- Extremely accurate and versatile measuring instruments for use in all 3-phase AC systems
- Control loop and line impedance measurement
- Measurement of insulation resistance, low point resistance and earth resistance measurement



136-5807	PROFITEST MXTRA M500V electrical installation tester	28 739, 48 kr
136-5806	PROFITEST MXTRA M520P electrical installation tester	25 582, 94 kr
899-8205	PROFITEST INTRO M503B electrical installation tester	17 798, 22 kr
899-8208	PROFITEST INTRO M520T electrical installation tester	10 642, 67 kr
867-5627	MASTER PROFI M520R electrical installation tester	20 794, 8 kr

RS PRO insulation tester

- Large backlit LCD display
- Convenient compare function (pass/fail)
- Detection of DC/AC voltage, with high frequency suppression
- Insulation test: 50 V, 100 V, 250 V, 500 V, 1.000 V
- Safety classification cat. IV 600 V



123-3220	IIT1500 insulation test equipment 20 GΩ	3 058, 86 kr
917-6308	IIT2010 insulation test equipment 9.5 GΩ	24 964, 42 kr

Voltage indicators & magnetic field detectors

- Contactless voltage indicators in pen design
- For detecting alternating voltage in cables, electrical sockets VP-2 also shows screen radiation
- Contactless detectors indicate magnetic fields by illuminating the tip
- For alternating and direct current fields as well as permanent magnets
- Small magnet in the pen cap for function tests



123-3247	IVP-1 voltage indicator, → 1,000 VAC	139, 91 kr
161-1627	VP-2 voltage indicator, → 1,000 VAC	76, 14 kr
375-5422	Magnetic field detector, → 1,000 VAC	369, 83 kr
141-1996	Magnetic field detector, ATEX	582, 57 kr

RS PRO earth and ground resistance testers

- Digital earth testers from RS Pro, 3-pole
- Large backlit display for easy reading of the display
- Min/max and hold function with data storage and memory
- Automatic zero point adjustment
- For ensure safe path to earth present and correct grounding of motors, generators, cables and switchgear



144-5339	ET5300 LED earth and ground resistance tester → 2kΩ	1 241, 18 kr
123-2238	IET1700 LCD earth and ground resistance tester → 4kΩ	2 240, 61 kr

Fluke inspection cameras

- Identify weak points quickly with industrial cameras from Fluke
- Do more with the same air compressors - Delay investing in an additional compressor
- Ensure the correct air pressure for your pneumatic equipment
- With the DS703 videoscope you can detect errors in the keyhole principle through a \varnothing 8.5 mm x 1.2 m probe
- Lower operating costs by reducing the leak detection time



FLUKE

187-6163	FLUKE ii900 sonic leak detector camera	185 039 kr
175-8013	FLUKE DS703 videoscope	20 599 kr

Fluke clamp meters

- Fluke 320, 360, and 370 series Clamp Meters
- Certified instruments for collecting a wide range of measured values for advanced troubleshooting
- Series 370 FC devices log and transmit sporadic errors to mobile devices via the Fluke Connect app
- Find out about all device data on RS Online



FLUKE

705-1941	FLUKE 365 clamp meter, 200 A	2 964 kr
765-3660	FLUKE 325 clamp meter, 400 A	2 432 kr
905-5911	FLUKE 374 FC clamp meter, 600 A	4 053 kr
905-5914	FLUKE 376 FC clamp meter, 1,000 A	6 156 kr

Fluke thermal imaging cameras

- Professional, high-performance maintenance set, consisting of a pocket-sized thermal imaging camera and a T6-1000 electrical tester
- Various thermal imaging cameras for comprehensive troubleshooting and predictive maintenance
- Option of real-time communication via smartphone and Fluke Connect
- All data and the entire series can be found on RS Online



FLUKE

201-2099	FLUKE PTi120 thermal imaging camera + T6-1000	9 483 kr
206-6116	TiS20+ MAX thermal imaging camera -20 → +400°C	15 499 kr
198-1145	TiS60+ thermal imaging camera -20° → +400°C	33 999 kr
186-4696	Ti401 PRO thermal imaging camera -20 → 650°C	81 999 kr
171-6857	Ti480 PRO thermal imaging camera -20° → 1,000°C	106 999 kr

Fluke voltage tester

- The FLUKE T6-1000 measures voltages up to 1,000 Vac / 200 A with FieldSense technology
- Clamp Meter measurement without opening circuits or contact with live parts
- The two-pole T150 tester is indispensable for electricians
- Extremely robust and easy to use, with a range of functions



FLUKE

189-3830	FLUKE T6-1000 KIT2, voltage tester with alligator clips & soft case	2 846 kr
-----------------	---	-----------------

Fluke power supply/energy measuring

- Three-phase power logger for basic quality studies of power and energy
- With Fluke Connect mobile app and desktop software compatibility for real-time broadcasts
- Analyser for motor drives with 500 MHz oscillator
- Saves time when setting up and troubleshooting frequency converters
- Test and step-by-step measurement of the most important motor parameters



FLUKE

136-5784	FLUKE 1736, 4-channel energy meter	36 276 kr
900-9986	FLUKE 1738, 4-channel energy meter	51 403 kr
179-7957	FLUKE MDA-550, 4-channel motor analyser	72 170 kr

Process monitoring with Fluke

- Fluke's precise and reliable process clamp meters and calibrators
- Signal measurements in the range 4 to 20 mA without breaking the loop
- Testing analog input/output on a console
- Resolution and sensitivity of 0.01 mA
- Measurement of mA signals for analogue inputs/outputs on the PLC and control system



FLUKE

287-642	Fluke 771 process clamp meter	6 427 kr
669-3493	Fluke 773 process clamp meter	12 529 kr
447-7707	Fluke 789 multi-function calibrator	13 593 kr
325-4777	Fluke 705 loop calibrator	7 759 kr

Electrical distribution system MISTRAL65

- Complete and versatile electrical distribution system for industrial, commercial or private applications
- They consistently meet the high degree of protection IP65 and are tested in accordance with IEC 60670-1 / -24
- Door opening angle 180°



ABB

811-1892	1-row	346, 03 kr
811-1868	2-row	591, 51 kr
811-1870	3-row	879, 84 kr
811-1874	4-row	1 284, 58 kr

Wall boxes

- High-impact resistant IP65 plastic housing
- Lockable
- 200° door opening angle
- Light grey RAL 7035



RS PRO

746-7393	280 × 210 × 130 mm	914, 63 kr
746-7396	400 × 300 × 165 mm	1 381, 17 kr
746-7390	400 × 300 × 195 mm	1 439, 09 kr
746-7400	500 × 400 × 175 mm	1 847, 27 kr
746-7403	600 × 400 × 200 mm	2 041, 13 kr

Wiring ducts

- PVC slotted panel trunking
- Construction with closed slots, slot width 8 mm
- Delivery of 8 pieces each with a length of 2 m



RS PRO

301-2084	25 × 30 mm	584, 49 kr
301-2090	25 × 60 mm	839, 36 kr
301-2107	40 × 40 mm	797, 77 kr
301-2113	40 × 60 mm	1 063, 84 kr
301-2129	50 × 50 mm	992, 39 kr
301-2135	60 × 60 mm	1 075, 04 kr

Top-hat DIN rail

- Slotted steel DIN rails, in pre-cut lengths
- TS35 7.5 mm x 35 mm
- More versions available on RS Online



RS PRO

467-416	1 metre	221, 95 kr
742-4138	2 metres	294, 91 kr

Mini circuit breaker type B

- Single-pole Sentron circuit breakers
- With quick-release terminal 230 / 400V 6kA
- Tripping characteristic class: B
- Depth 70 mm
- Screwless output terminals



SIEMENS

521-4737	5SJ6110-6KS, 10 A	126, 90 kr
521-4866	5SJ6113-6KS, 13 A	126, 90 kr
521-4759	5SJ6116-6KS, 16 A	90, 11 kr
521-4664	5SJ6120-6KS, 20 A	132, 23 kr

Mini circuit breaker type C

- Single-pole Sentron circuit breakers
- With quick-release terminal 230 / 400V 6kA
- Tripping characteristic class: C
- Depth 70 mm
- Screwless output terminals



SIEMENS

521-4800	5SJ6110-7KS, 10 A	241, 01 kr
521-4816	5SJ6113-7KS, 13 A	241, 01 kr
521-4822	5SJ6116-7KS, 16 A	227, 14 kr

Circuit breaker, 5SV3 series

- Residual current protective devices are available in several types and designs
- Instant tripping, surge current withstand capability >1kA
- Mainly used for single-phase loads with electrical components in the power supply unit



SIEMENS

124-7726	5SV3311-6, 2-pole 16 A / 30 mA	1 311, 67 kr
124-7727	5SV3312-6, 2-pole 25 A / 30 mA	1 153, 31 kr
124-7737	5SV3612-6, 2-pole 25 A / 300 mA	1 024, 81 kr
124-7738	5SV3614-6, 2-pole 40 A / 300 mA	1 109, 06 kr
124-7733	5SV3344-6, 4-pole 40 A / 30 mA	741, 87 kr
124-7741	5SV3644-6, 4-pole 40 A / 300 mA	1 087, 73 kr
124-7743	5SV3646-6, 4-pole 63 A / 300 mA	1 652, 92 kr

DIN rail terminals

- For connecting cables of the same potential
- Use in junction boxes and switch panels
- Each terminal is connected internally
- Nominal current according to cable cross-section: 6 mm (16 A), 16 mm (100 A), 35 mm (170 A)



388-2833	10×6 mm ² & 2×16 mm ² & mount	868, 90 kr
388-2855	10×6 mm ² & 2×16 mm	494, 08 kr
388-2861	10×6 mm ² & 1×35 mm	697, 21 kr

Fire protection switch, 5SV6 series

- Third generation of products for preventive fire protection
- For installation in new buildings and for retrofitting in existing buildings
- With an integrated miniature circuit-breaker in just one modular unit - saves 50 percent space
- Siemens-patented SIARC technology



SIEMENS

187-5262	5SV6016-7KK10, 2-pole, 10 A	1 887, 53 kr
187-5263	5SV6016-7KK13, 2-pole, 13 A	1 802, 22 kr
187-5251	5SV6016-7KK20, 2-pole, 20 A	1 484, 43 kr
187-5249	5SV6016-7KK25, 2-pole, 25 A	2 015, 50 kr
187-5250	5SV6016-7KK32, 2-pole, 32 A	2 015, 50 kr

DIN rail socket

- Pin connector pattern type CF
- With screw connection for extended touch proofness/shutter
- Nominal voltage 250 VAC, nominal current 16A
- Double socket with light indicator



207-3024	Single socket 16 A green, VPE x 5 each	513, 48 kr
201-3848	Single socket 16 A grey, VPE x 5 each	462, 82 kr
201-3754	Double socket 16 A green, VPE x 2 each	666, 50 kr
201-3947	Double socket 16 A grey, VPE x 2 each	666, 50 kr

Energy meter

- Electromechanical and digital power meters
- With pulse output
- Ideal for recording extensions



178-5370	Features 7 programmable functions	644, 49 kr
-----------------	-----------------------------------	-------------------

Hazard warning sign

- Warning of electrical voltage
- Vinyl material for increased robustness
- Self-adhesive
- Doesn't fade over time



776-0948	1 roll with 250 items, 25 × 25 mm	145, 46 kr
776-0967	1 bag with 250 items, 50 × 50 mm	306, 91 kr
776-0945	1 item, 150 × 150 mm	40, 42 kr

Air quality meters

- High-precision devices for air and climate measurements
- Smart Probes air conditioning set for ventilation systems, with smartphone operation
- For measuring air quality, CO₂ concentration, humidity, air temperature and atmospheric pressure
- Simple parameterisation for measuring the volume flow



161-2897	Testo 160 IAQ Wi-Fi data logger	5 545, 28 kr
176-5580	Testo 440dP ComboKit 1, with impeller + temperature sensor	14 556, 36 kr
176-5581	Testo 440dP ComboKit 2, flow measurement with Bluetooth	15 622, 76 kr
176-5575	Testo 440 Kit CO ₂ Climate measuring device with Bluetooth	7 518, 12 kr

Temperature data logger

- For seamless data monitoring in compliance with GxP, 21 CFR Part 11, HACCP and EN 12830
- All in one logger: PDF measurement data, configuration file, calibration certificate and operating instructions
- Immediate creation of a PDF report directly after connection to the computer
- Automated door contact and temperature monitoring with connectable sensors (optional)



851-3469	Testo 184 T3 temperature data logger	1 109, 06 kr
851-3450	Testo 184 T2 temperature data logger	543, 86 kr
145-0234	Testo Saveris 2-T2 Wi-Fi data logger	1 727, 57 kr

Infra-red thermometer

- Temperature measuring device for fast, non-contact measurement of surface temperature
- Simple temperature measurement even in dynamic processes or in hard-to-reach places
- Reliable temperature measurement with inexpensive technology



764-4395	Testo 830-T2 infra-red thermometer 12:1, up to +400°C	874, 45 kr
764-4408	Testo 830-T4 infra-red thermometer 30:1, up to +400°C	1 322, 34 kr
292-307	Testo 810 infra-red thermometer 6:1, up to +300°C	789, 14 kr
777-0453	Testo 104 infra-red thermometer 10:1, up to +250°C	1 226, 36 kr

Light meter

- Luminosity meter for checking the ambient light, in pocket size
- Innovative measuring technology, measuring range 0 → 99,999 lux
- Min / Max memory function
- Supplied with carrying strap, belt holder, protective cap, batteries and operating instructions



292-363	Testo 540 Luxmeter, 99,999 lux	1 301, 01 kr
----------------	--------------------------------	---------------------

RS PRO air quality meters

- Various air quality measuring devices from RS PRO
- State-of-the-art technology for measuring and monitoring suspended particles, temperature and humidity
- Large display for easy-to-read information, depending on the device with internal memory
- Ideal for monitoring air quality



106-5304	IM-502 climate gauge	2 651, 92 kr
174-9558	RS-5322 climate gauge	2 992, 43 kr
174-6575	RS-9680 particle meter	1 811, 39 kr

Voltage indicator

- Current-voltage indicator for both AC and DC voltage
- For almost all daily electrical measurement tasks without having to switch over
- Voltage indicator with all-round display
- Thanks to unique lighting technology, the measured values are clearly visible from every position



905-5876	Current-voltage indicator Testo 755-2	1 738, 23 kr
905-5866	Testo 750-1 - voltage tester	469, 22 kr
905-5879	Testo 750-3 - voltage tester	1 013, 08 kr

Smart UPS Power Supplies

- Intelligent and efficient uninterruptible power supply protection in the network with scalable runtime
- Ideal for servers, POS systems, medical and network equipment
- This UPS includes documentation CD, installation guide, rack mounting brackets, USB cable



201-0845	SMC1000I-2UC	7 454, 14 kr
201-0846	SMC1500I-2UC	9 480, 30 kr
201-0844	SMC1500IC	7 347, 50 kr
201-0843	SMC1000IC	5 610, 62 kr

SITOP DC-USP Power Supplies

- Protection against power failures lasting from seconds up to a duration of several hours
- Uninterruptible power supplies with capacitors or batteries
- Versions with or without a USB interface



668-0532	UPS500S basic device 5 kW	4 468, 22 kr
499-9601	DC-USP module 24 V/40 A	3 817, 71 kr
473-1045	DC-USP module 24 V/6 A	1 738, 23 kr
741-8726	UPS500S basic device 2.5 kW	3 530, 32 kr

QUINT USP Power Supplies

- UPS solutions for every need and every application: Use in industry, building automation or engineering as well as supplying AC and DC loads
- Space saving: plug-and-play solution integrates power supply or energy storage
- Flexible thanks to the modular system: For load currents up to 40 A and buffer times of up to several hours



505-5421	Buffer module - QUINT BUFFER/24 DC/20	2 606, 72 kr
739-7878	QUINT UPS/24 DC/24 DC/40	4 508, 93 kr
665-7918	QUINT-DC-UPS/24 DC/20	2 490, 81 kr
665-7851	MINI-DC-UPS/12 DC/4	2 246, 01 kr

Battery pack for use with UPS

- Hot-swappable batteries
- Developed exclusively for the APC UPS systems and fully compatible with the intelligent battery management system
- Ensures an uninterrupted power supply to protect the systems during a battery change



689-9049	APC replacement battery no. 43	5 108, 06 kr
689-9064	APC replacement battery no. 7	2 985, 81 kr
689-9058	APC replacement battery no. 48	1 792, 85 kr
779-4058	APC replacement battery no. 2	639, 73 kr

Lead batteries

- NP series batteries set the standard for quality and excellence in the field of batteries
- Almost maintenance-free with a perfectly sealed construction and the recombination of gases within the cell
- VRLA batteries of the RE series with low self-discharge rates can be stored for long periods without permanent loss of capacity
- Latest oxygen recombination technology and a safe low pressure ventilation system



597-835	NP lead battery 12 V / 7 Ah	287, 07 kr
597-841	NP lead battery 12 V / 12 Ah	621, 18 kr
707-4966	NP lead battery 12 V / 8.5 Ah	500, 67 kr
613-0854	RE lead battery 12 V / 7.3 Ah	561, 99 kr

Lead batteries

- For use in a number of industries as well as general applications
- Ideal for an uninterruptible power supply and emergency systems
- Long lifetime



537-5488	Lead battery 12 V / 7 Ah	224, 80 kr
686-7253	Lead battery 12 V / 5 Ah	195, 68 kr
537-7305	Lead battery 12 V / 12 Ah	444, 48 kr

ESD wrist straps

- Wrist straps in accordance with EN 61340-5-1
- Reliable method of static derivation
- Adjustable wrist strap for all sizes
- 1 MOhm safety resistance
- Coiled cables in different lengths and connections



287-7385	Wrist strap & cord set 1,8m	235, 03 kr
287-7379	Wrist strap & cord set 1.8 m with cable banana plug with clamp	232, 90 kr
392-163	Wrist strap	72, 99 kr
287-7414	Wrist strap & cord set 1.8 m banana plug with clamp	236, 98 kr

ESD cord

- Resistance 1 MOhm
- Different lengths available
- Versions with push button 10 mm on banana socket / ring eyelet or push button
- According to EN 61340-5-1



273-6717	Coiled cord with 2 × push buttons 1.8 m	139, 80 kr
129-4874	Cord with 2 × push buttons 2 m	162, 38 kr
798-9335	Cord with ring eyelet and snap fastener 450 cm	195, 31 kr
273-6701	Coiled cord with push button + banana plug / croc 1.8 m	146, 65 kr

ESD grounding accessories

- Grounding boxes and modules as well as cords for the workplace
- For the protection of electronic components in accordance with EN 61340-5-1
- With 1 MOhm safety resistors



392-141	Rack bonding kit	84, 42 kr
287-7559	Grounding plug, 1MΩ	443, 85 kr
287-7492	Earth bonding bracket 3 × 10 mm, 1 MΩ	275, 02 kr
291-9596	10 mm snap fastener, x 100	553, 68 kr

ESD foams & packaging

- Antistatic stretch film made of dissipative film with a thickness of 25 microns
- Suitable for hand or machine wrapping
- Low-density ESD foam provides protection for sensitive components



815-7012	Foil 0.025 × 500 mm x 300 m, pink	515, 23 kr
356-2315	Foil 4 × 500 mm x 50 m, pink	415, 76 kr
356-2157	Foil 4 × 1,500 mm x 50 m, pink	974, 55 kr
815-3474	Foam padding 6 mm x 1 × 1 m, black	456, 36 kr

ESD mats

- Antistatic mats in accordance with EN 61340-5-1 ESD
- ESD rubber floor covering IEC 61340-2-3
- Easy to clean, permanently elastic and dissipative
- Material thickness 3 mm
- With 10 mm push button



466-1643	Workplace mat 3.2 × 600 × 1.200 mm, blue	609, 19 kr
787-3114	Workplace mat 2.0 × 600 × 1,200 mm, black	365, 10 kr
466-1659	Workplace mat 3.2 × 600 × 1,200 mm, grey	609, 19 kr
787-2102	Workplace mat 3.0 × 600 × 1.200 mm, blue	666, 32 kr

ESD bins

- Antistatic enclosures with a low level of charge reduce the likelihood of damage to statically sensitive parts
- Flexible solution for your storage needs
- Custom-made with antistatic, conductive carbon particles / fibres



550-331	Storage bin 130 × 150 × 240 mm, PU x 5	519, 40 kr
550-870	Box 19 × 77 × 55 mm, VPE x 5	180, 39 kr
550-325	Storage bin 75 × 165 × 100 mm, PU x 5	240, 88 kr
121-8487	Storage bin 182 × 350 × 205 mm, PU x 10	2 737, 88 kr

ESD pouches & bags


- A range of anti-static bags designed to protect sensitive equipment from ESD damage
- Suitable for packing, storing and transporting your ESD-sensitive items
- Heat and pressure lock versions are available



287-7931	ESD pouch, pink, 305 mm x 406 mm, x 100	281, 48 kr
287-7925	ESD pouch, pink, 254 mm x 356 mm, x 100	231, 07 kr
356-2359	ESD pouch, pink, 130 mm x 185 mm, x 50	366, 03 kr
182-8843	ESD pouch, silver, 305 mm x 254 mm, x 100	484, 58 kr

ESD sets for mobile use

- Antistatic, robust field service kits in accordance with EN 61340-5-1 For working in electrostatically protected areas



681-1231	Mat 590 × 550 mm + accessories	1 365, 57 kr
681-1235	Mat 380 × 510 mm + accessories	1 060, 44 kr
787-2111	Mat 1,200 × 2,400 mm + accessories	4 613, 29 kr
145-2123	Mat 600 × 600 mm + accessories	851, 15 kr

Clean room & ESD supplies

- For applications that require exceptional absorbency and superior strength
- Extremely low in lint
- Good absorbency
- Abrasion-resistant



829-5120	100 × clean room wipes, class ISO4-ISO6	270, 05 kr
829-5149	200 × clean room wipes, class ISO4-ISO6	309, 97 kr
829-5136	100 × clean room wipes, class ISO6-ISO7	132, 81 kr

ESD vacuum cleaner

- ESD Safe vacuum
- Fully self-contained unit for highly efficient cleaning
- Removing toner and dust and cleaning data processing equipment



103-4052	Vacuum 497ABG-NO	5 433, 39 kr
103-4053	Filter	267, 50 kr

Ioniser with fan

- Flow capacity: L (460 l/min)
- Output: P (PNP output)
- Rapid elimination of static electricity: 1.3 seconds
- Ion equilibrium: ±13 V



126-0264	Ioniser, fan version IZF10-LP	4 884, 33 kr
-----------------	-------------------------------	---------------------

Smoke and heat detectors

- Proven measurement technologies together with modern materials and innovative electronics technology
- Series 65 smoke detectors can be integrated into alarm systems when used with a relay socket
- Large operating voltage range of 9-33 V DC
- Large temperature range from -20°C to +60°C for operation and storage



240-0553	Optical smoke detector and smoke alarm systems, series 65	777, 62 kr
240-0581	Heat detector, series 65	392, 86 kr
240-0597	Diode base	125, 20 kr

Heat detectors tester

- Safe heat detector testing and maintenance devices in accordance with international standards
- Inexpensive, portable, and versatile



146-6804	Test device for heat detectors	8 659, 91 kr
-----------------	--------------------------------	---------------------

Fire blankets

- Fibreglass fire blanket in accordance with EN 1869: 1997
- Kitemark certification
- Supplied in a red, hard plastic container for easy wall mounting
- For light industrial applications



523-156	Blanket 100 × 100 cm	298, 49 kr
523-146	Blanket 120 × 120 cm	358, 20 kr
523-178	Blanket 180 × 120 cm	507, 18 kr

Fire Door closer

- Compact design
- Adjustable closing speed
- In accordance with EN1154: 1196 + A1: 2002



734-8823	Economy fire door closer 65 kg	403, 21 kr
734-8832	Fire door closer 65 kg, suitable	694, 76 kr
734-8839	Fire door closer 100 kg	1181, 46 kr

LED emergency lights

- Robust and secure lights
- Ideal for commercial, industrial and retail applications
- Durable and very resistant to weather and damage



795-9381	2 × 7.5 W 470 lm, 272 × 296 × 75 mm, IP65	977, 10 kr
795-9378	3 W 120 lm, 117 × 350 × 76 mm, IP65	346, 53 kr
795-9735	6 W 200 lm, 117 × 352 × 76 mm, IP65	461, 46 kr
795-9748	3 W, 60 × 390 × 190 mm, IP20	561, 07 kr

First-aid box

- First-aid equipment, based on the needs of the user
- Suitable equipment for every specific occupation
- Quality products recognised nationally and internationally
- Well proven when used to rescue and care for injured people



SOHNGEN®

309-0422 First aid kit SN-CD, orange

1 098, 07 kr

309-0393 First aid kit MT-CD, orange

1 890, 73 kr

309-0416 First aid kit QUICK-CD, orange

794, 80 kr

309-0416 Erste Hilfe Koffer QUICK-CD, orange

298 kr



First-aid equipment

- Variety of first aid equipment
- Fulfills the individual requirements of the different branches of the company, whether in industry, administration or educational institutions



SOHNGEN®

380-6665 Dressing material padding DIN 13 157

638, 45 kr

380-6671 Padding, standard DIN 13 169

129, 02 kr



Eye wash

- Ready-to-use eye washes as sterile solution / sterile water
- Foreign bodies can be gently washed out
- Temperature resistant, no contamination, no maintenance, no water change



SOHNGEN®

309-0573 AQUA NIT® box 4x250 ml eye wash

795, 34 kr

841-7923 oculav NIT® box 4x250 ml eye wash

832, 16 kr

311-7864 AQUA NIT® 250 ml eye wash

129, 15 kr

841-7914 oculav NIT® 250 ml eye wash

156, 55 kr



Plaster dispensers & plasters

- Does not stick to the wound, does not fray, is highly absorbent, breathable
- Promotes skin formation and healing
- All aluderm®-aluplast wound dressing plasters are individually hygienically sealed



SOHNGEN®

453-3728 Plaster dispenser and plasters

240, 37 kr

309-0567 Extra set of additional plasters, x 116

284, 94 kr

841-7936 aluplast refill set complete, x 115

210, 40 kr

453-3677 aluplast refill set 72 x 25 mm, x 30

34, 02 kr



Plaster dispenser and sets

- Dispensers and sets in different sizes and materials
- Detectable, watertight designs



RS PRO

787-3603 x 85 plasters, watertight

438, 63 kr

787-3619 x 70 plasters, watertight

376, 78 kr

787-3606 x 240 plasters

464, 20 kr

787-3612 x 35 plasters with metal detector

676, 84 kr



Hand cleanser

- Powerful and versatile cleanser
- Effectively removes a wide variety of difficult-to-remove contaminants



deb
stoko

742-3040 Hand soap dispenser, citrus scent, 2 l

914-8287 Hand cleanser, 250 ml tube

460-9106 Hand cleanser with mount, citrus scent, 750 ml



257, 22 kr

49, 27 kr

179, 26 kr

Disinfection station

- Robust, foot-operated, no touching with the hand
- Quick and easy to set up



RS
PRO

201-7831

Station 312 mm x 1,213 mm x 306 mm

1 571, 68 kr

Contactless door opener

- To minimise surface contact on door handles, lift buttons, bags and much more.
- Small and compact enough to stay in your pocket - ideal for on the go
- High strength, ergonomic and easy to disinfect



RS
PRO

201-7025 Door opener

110, 48 kr

Protective screens

- Screens designed for cleaner and safer environments for food and people
- Free-standing, easy to clean
- Robust, 5 mm thick acrylic plate



RS
PRO

201-8165 Protective wall, 700 x 600 mm

979, 38 kr

201-8166 Protective wall, 1,400 x 600 mm

1 997, 37 kr

Distancing Assistant

- The device emits a brief audible or vibrating warning signal when another wearer approaches within 2 metre (or your preferred distance)
- Can be used indoors and outdoors
- Configurable distance setting



Path
finder

205-1266 Distancing Assistant, VPE x 5

4 031, 93 kr



Barrier tapes

- Safety barriers for use in dangerous areas and for queue organisation
- For fixed or mobile assembly
- Range includes chains, posts, barrier tapes, robust and flexible bollards and extendable barriers



829-9069	Wall unit with yellow / black tape 4.6 m	933, 63 kr
829-9075	Wall unit with yellow tape 4.6 m	1 291, 20 kr
829-9078	Wall unit with black tape 4.6 m	310, 11 kr
829-9062	Barrier post with black tape 2.8 m	1 435, 27 kr



Traffic and safety cones

- Robust PVC cone with a non-slip rubber pad
- Orange, with white reflective stripes and a black base



503-754	Height 490 mm	145, 56 kr
503-681	Height 300 mm	83, 50 kr
125-2172	Height 900 mm	355, 75 kr
840-0647	Height 700 mm	384, 01 kr

Soft PVC tapes

- High flexibility and elasticity, quick and easy attachment to a wide variety of surfaces
- Resistant to many solvents
- Model 766: for general covering purposes, for closing round or uneven surfaces, for designation / marking
- Model 471: Marking, bundling, holding, sealing and hazard marking



669-2898	Tape 471 yellow, 33 m	355 kr
669-2894	Tape 471 blue, 33 m	355 kr
399-7575	Tape 766 black/yellow, 33 m	69, 21 kr
669-2876	Tape 471 red, 33 m	366, 1 kr

Warnings signs

- Warning signs and warning symbols in accordance with EN ISO 7010
- Efficiently warns of dangers and obstacles



898-7160	Neutral warning sign 630 x 300 mm	233, 43 kr
813-4445	Warning sign Danger from hot surfaces 100 x 100 mm	19, 52 kr
813-4423	Warning sign Electrical voltage 100 x 100 mm	19, 84 kr
813-4552	Warning sign Danger from hot surfaces 200 x 200 mm	88, 38 kr

Mandatory signs

- Safety signs without text with a diameter of 200 mm
- Self-adhesive, permanent acrylic adhesive
- Laminated polyester



179-2586	Use eye protection	34, 98 kr
179-2609	Use ear defenders	34, 98 kr
305-7728	Use protective gloves	34, 98 kr
305-7706	Use foot protection	34, 98 kr

Safety poster

- Multi-symbol signs made of PP, without adhesive
- Floor marking sign H 350 mm W 350 mm, self-adhesive



201-7385	Multi-symbol sign for site security WxH 371 x 262 mm	212, 75 kr
201-7363	Multi-symbol sign for site security WxH 262 x 371 mm	212, 75 kr
201-7330	Floor marking sign, Disinfect hands	159, 43 kr
201-1528	Multi-symbol sign Correct hand washing WxH 371 x 262 mm	159, 43 kr

Wera screwdriver sets

- Kraftform screwdriver from Wera, with precision and power zone
- Multi-component handles for ergonomic work
- Micro precision screwdriver with swivel cap, 12-piece
- VDE swivel blade screwdriver and multifunction pliers, 17-piece in sturdy textile case
- Long non-insulated screw bits with Kraftform handle, 18-piece
- Practical tool check PLUS ready with all the necessary bits



788-7034	Micro-screwdriver, set 12-piece	518, 75 kr
193-6134	VDE tool set, 17-piece	1 446, 68 kr
201-2203	Interchangeable bit screwdriver, set of 18 pieces	1 416, 61 kr
812-6204	Tool-Check PLUS Ratchet Kit, 39-piece	898, 96 kr

Wera 2go tool bag

- Wera 2go tool carrier system - quickly packed and emptied
- Individually configurable, for more mobility
- Also ideal for docking Wera textile boxes and bags with velcro closure zones
- Various designs, with carrying handle or shoulder strap
- High resistance to cuts and stitches



193-6159	2go 2 XL tool bag, 480 × 350 × 185 mm	2149, 76 kr
136-7114	2go 3 tool box, 330 × 100 × 330 mm	293, 25 kr
188-6200	2go 7 tool high box, 100 × 100 × 295 mm	354, 22 kr

Wera tool kits

- Tool kits from the Kraftform Kompakt series from Wera
- Various equipment for various purposes
- Ergonomic multi-component handles are the basis for every kit
- For the entire content, please visit the product pages on RS Online



123-1889	Compact W1 electrician tool kit, 35-piece	1 460, 81 kr
123-1890	Compact M1 mechanic's tool kit, 39 pieces	1 792, 82 kr
123-1892	Compact H1 wood construction tool kit, 41-piece	1 432, 26 kr

Wera Zyklop speed ratchet socket sets

- Zyklop 1/4 "and 1/2" ratchet socket sets made of CrMo steel, for high working speeds
- Freely swivelling ratchet head with 5 defined fixings
- Return angle of only 5°, fine toothing with 72 teeth
- Flywheel construction with quick-turn sleeve
- With the Take it easy tool finder: Colour coding according to sizes

812-6273	Zyklop 1/4" ratchet socket set, metric, 28 pieces	1300, 89 kr
812-6330	Zyklop 1/4" ratchet socket set, imperial, 28 pieces	1328, 03 kr
495-423	Zyklop 1/4" ratchet socket set, 42 pieces	2 492, 88 kr
495-417	Zyklop 1/2" ratchet socket set, 37 pieces	4107, 09 kr

Wera spanner kits

- Doubling of the socket positions by combining the jaw and double hexagon rotated by 75°
- Screws and nuts can be gripped every 15° with the fine jaw geometry
- Slim, yet robust ring side
- High-quality surface treatment for high corrosion protection
- With Take it easy tool finder - colour identification by sizes

774-6719	Joker Set4 ratcheting combination spanner 4-piece set	1 353, 47 kr
788-7110	Joker 6000 ratcheting combination spanner 11-piece set	2 712, 30 kr
127-1209	Joker 6001 ratcheting combination spanner 11-piece set	5 034, 29 kr
201-2187	Joker 6003 ratcheting combination spanner 11-piece set	1 635 kr

Wera hex keys

- L-key sets for hexagon socket screws
- Larger contact surface for 20% more torque transmission
- Long arm with ball head end for areas that are difficult to access
- 950/9 Hex-Plus - 1.5 to 10 mm, frame chrome-plated
- 950/9 Hex-Plus Multicolour - 1.5 to 8 mm, with colour-coded plastic sleeves
- 3950/9 Hex-Plus Stainless - 1.5 to 10 mm, made of stainless steel

185-895	950/9 Hex-Plus, 9-piece set	280, 76 kr
875-7965	950/9 Hex-Plus Multicolour, 9-piece set	364, 36 kr
638-8312	3950/9 Hex-Plus Stainless, 9-piece set	389, 77 kr

VDE tool kit

- VDE pliers and screwdriver with voltage indicator in one set
- Tested for work up to 1,000 Vac / 1,500 Vdc
- Two-component handles with soft area
- Pliers and side cutters are chrome-plated
- Side cutter suitable for soft and hard wires
- Supplied in a vinyl case for safe storage



125-3097 VDE tool kit, 9-piece



909, 21 kr



136-3412 Mechanics tool kit, 82-piece

RS PRO mechanics tool kit

- 82-piece tool set, specially equipped for repair and maintenance technicians
- Set contains a selection of screwdrivers, keys, pliers and other accessories
- The tools are robust and durable
- High-quality and complete tool kit at an affordable price



4 449, 13 kr

Multi-purpose cabinet keys

- Multi-purpose cabinet keys are for use in maintenance and service applications
- Cover all common switch cabinet interlocks
- Additional elements: Adapter - hexagon to inch square box spanner as well as slotted blade 7 mm and POZIDRIV® - screw bit



439-3025 Diecast zinc, chrome-plated

439-3019 Diecast zinc

841-7005 Diecast aluminium



84, 14 kr

93, 63 kr

194, 19 kr

RS PRO measuring tapes

- Steel tape measure, metric and imperial
- The tape rolls up automatically and can be locked
- Injection case with black thermoplastic rubber protection
- Ideal for everyday use



848-7604 Measuring tape, 3 m

848-7613 Measuring tape, 5 m

848-7616 Measuring tape, 8 m



49, 27 kr

70, 49 kr

125, 30 kr

Safety knives

- Wide range of safety knives, with different blade types and lengths
- Robust design, non-slip handles
- Replaceable carbon steel blades



789-4607 Robust cutter

176-3425 All-purpose knives

541-6630 Belt knives



81, 37 kr

100, 03 kr

54, 92 kr

Fibreglass hammers

- Carbon steel hammers
- Two-tone fibreglass handle to absorb shock vibrations
- High strength properties



125-0937	Engineer's hammer, 300 g	103, 55 kr
125-0938	Engineer's hammer, 500 g	116, 66 kr
125-0941	Lump hammer, 1.000 g	137, 14 kr
125-0943	Ball pein hammer, 450 g	110, 16 kr
537-007	Claw hammer, 567 g	174, 57 kr

Electrician's tool backpack

- Durable, waterproof tool backpack
- Equipped with an insulation tester, 1,000 V / 2 GΩ, CAT III 1,000 V
- Multimeter CAT IV 600 V / CATIII 1,000 V
- VDE tool set, 11 pieces
- Voltage indicator and infra-red thermometer



179-5357 Equipped backpack + tool case

3 449 kr

VDE wrench set

- CrV key VDE insulated up to 1,000 V, set of 11 pieces
- Chrome-vanadium steel with an insulating vinyl layer
- Safe use at voltages of up to 1,000 V is guaranteed
- DIN EN 60900: 2004



829-6546 VDE wrench set, 11 pieces

1 637, 03 kr

Handsaws

- Hand saws for safe and efficient cutting of wood, plastic and metal
- Standard variants and special variants available
- Replacement saw blades and other models on RS Online



182-9803	Hacksaw, 300 mm	274, 81 kr
182-9801	Hacksaw, 150 mm	60, 89 kr
789-4593	Hacksaw set	262, 55 kr

Table drill

- 350 W column drill with 13 mm chuck
- Table size 160 × 160 mm
- Total height 590 mm, spindle stroke 50 mm



181-8946 Upright drill, 350 W

1 361, 79 kr

YY control cables, unscreened

- Unscreened YY control cables in PVC sheath, grey
- Suitable for internal dry or moist conditions Resistant to acids, caustics and certain oils
- VDE-tested, corresponds to ECD 73/23 / EEC
- Delivered on rolls of 50 m each



827-4307	YY control cable, 18-wire 0.5 mm ²	1 731,30 kr
827-4316	YY control cable, 18-wire 1.0 mm ²	2 092, 06 kr
827-4319	YY control cable, 25-wire 0.5 mm ²	2 199, 88 kr
827-4313	YY control cable, 25-wire 0.75 mm ²	2 318, 35 kr
827-4322	YY control cable, 25-wire 1.0 mm ²	2 983, 36 kr
827-4325	YY control cable, 25-wire 1.5 mm ²	3 753, 19 kr

Silicone mains power cable

- Silicone-insulated high-temperature mains power cable
- Temperature range for use from -40 to + 180°
- Good resistance to oil and solvents
- Robust and resistant to moisture and high UV radiation
- Delivered on rolls of 25 m each



744-0994	Silicone cable, white, 3 × 0.75 mm ²	409, 39 kr
744-0997	Silicone cable, black, 3 × 0.75 mm ²	409, 39 kr
744-0981	Silicone cable, white, 3 × 1.5 mm ²	733, 15 kr

NYM-J power cable

- For installations in buildings, in dry, damp or wet areas
- Highly flexible PVC outer sheath of the cable enables easy installation
- Mechanically robust and resistant to most chemicals
- PVC sheathing and insulation of the cable according to IEC 60332-1, flame retardant



902-8322	NYM-J power cable 3 × 1.5 mm ² , 50 m	953, 79 kr
902-8347	NYM-J power cable 5 × 1.5 mm ² , 50 m	1 573, 97 kr
902-8369	NYM-J power cable 7 × 1.5 mm ² , 50 m	1 837, 30 kr
902-8329	NYM-J power cable 3 × 2.5 mm ² , 50 m	1 396, 88 kr
902-8350	NYM-J power cable 5 × 2.5 mm ² , 100 m	5 680, 16 kr

H05VV-F electrical wiring cable

- Reliable cables from our tried and tested own brand RS PRO
- Perfect for use in environments with temperatures down to -25°C
- Suitable for indoor and outdoor installations
- For flexible wiring solutions in a wide variety of applications
- Delivery on rolls of 100 m



196-4663	Flexible cable, orange, 3 × 1.5 mm ²	1 174, 32 kr
196-4713	Flexible cable, yellow, 3 × 1.5 mm ²	1 952, 47 kr
196-4716	Flexible cable, blue, 3 × 1.5 mm ²	1 169, 31 kr
196-4684	Flexible cable, orange, 3 × 2.5 mm ²	1 955, 03 kr
196-4713	Flexible cable, yellow, 3 × 2.5 mm ²	1 955, 03 kr
196-4721	Flexible cable, blue, 3 × 2.5 mm ²	1 955, 03 kr

NYJ-J installation power cable

- NYJ-J underground installation cable from Lapp
- With robust, flame-retardant PVC jacket
- Temperature range for use: -40°C to +70°C
- Delivered on rolls of 50 m each



721-0689	NYJ-J power cable, 3 × 1.5 mm ²	1 028, 22 kr
721-0702	NYJ-J power cable, 4 × 1.5 mm ²	1 408, 29 kr
721-0683	NYJ-J power cable, 3 × 2.5 mm ²	1 454, 25 kr
721-0706	NYJ-J power cable, 4 × 2.5 mm ²	1 855, 64 kr
721-0724	NYJ-J power cable, 5 × 2.5 mm ²	2 303, 96 kr

LAPP UNITRONIC 6722 bus cable

- UNITRONIC® BUS HEAT 6722, CAN bus data cable
- Halogen-free PUR sheathed and copper braid shielded
- Excellent weather resistance, as well as against chemicals and UV radiation
- Flame retardant in accordance with IEC 60332-1-2



161-1942	UNITRONIC bus cable, 4 × 0.25 mm ²	6 770, 04 kr
161-1943	UNITRONIC bus cable, 4 × 0.34 mm ²	7 939, 13 kr
161-1944	UNITRONIC bus cable, 4 × 0.50 mm ²	8 298, 83 kr
161-1945	UNITRONIC bus cable, 4 × 0.75 mm ²	9 264, 78 kr

EcoWire hookup wire

- Alpha's EcoWire is the latest in hook-up wires
- Increased performance with minimal environmental impact thanks to full recyclability
- Up to 45% smaller in diameter than PVC
- Up to 40% lighter than other insulation materials
- Excellent dielectric strength



AlphaWire

838-5043	Black 0.75 mm ² , 30 m	223, 62 kr
687-7540	Brown 0.75 mm ² , 30 m	223, 62 kr
687-7538	Blue 0.75 mm ² , 30 m	212, 96 kr
687-7531	Red 0.75 mm ² , 30 m	212, 96 kr
687-7550	Purple 0.75 mm ² , 30 m	223, 62 kr



Crimp bootlace ferrule set

- Crimp connector assortment with colour coding DIN 46228
- Contains 400 crimp bootlace ferrules for cable Ø 0.5- 2.5 mm²
- election of crimp bootlace in a compact plastic box
- Plastic-insulated with German coding
- Box with marked subdivisions, sorted by size



513-2562 Crimp connector assortment, colour coded **278, 86 kr**



Knipex crimping pliers

- Crimping tools for reliability and durability
- For crimp bootlace ferrules from 0.14 mm² to 16 mm²
- Strong leverage for optimised work
- High-quality special steel versions



136-7493	97 78 180 T crimping pliers for crimp bootlace ferrules from 23 - 5 AWG	474, 09 kr
176-4188	97 53 18 Twistor16 crimping tool, from 26 - 5 AWG	1 898, 42 kr
484-798	97 33 02 MultiCrimp® with interchangeable magazine, 23 - 7 AWG	2 782, 77 kr
492-0150	97 52 36 PreciForce crimping tool, from 20 - 10 AWG	1 197, 35 kr



RS PRO crimping pliers

- Self-adjusting crimping pliers
- Ideal for repair and maintenance applications
- For different wire cross-sections



122-1790	Crimp bootlace ferrule crimping pliers 0.14 → 10 mm ²
399-2031	Crimp bootlace ferrule crimping pliers 0.50 → 6 mm ²
464-482	Crimp bootlace ferrule crimping pliers 0.50 → 16 mm ²



1 661, 45 kr
716, 15 kr
737, 42 kr

RS PRO cable cutters

- Robust cable and ratchet cutters
- Polyethylene handles for long life comfort
- Shear cables smoothly and efficiently
- Blades made from high-quality carbon steel
- Not suitable for cables with steel wire armouring



146-3876	160 mm cutting capacity max. 10 mm ²	267, 95 kr
541-6567	238 mm cutting capacity max. 25 mm ²	322, 48 kr
911-1089	737 mm cutting capacity max. 30 mm ²	2 132, 31 kr
541-6898	240 mm ratchet cutter	1 990, 65 kr



Flexible conduit

- Flexible conduit
- Material polypropylene
- For cable bushing
- Supplied in lengths of 10 m



755-9035 Flexible tube Ø 25 mm, 10 m

755-9010 Flexible tube Ø 32 mm, 10 m



184, 81 kr

52, 44 kr

Galvanised Steel conduit

- Flexible PVC-coated conduit made of steel
- For applications with constant bending loads
- Degree of protection IP54, temperature range: -20°C → +80°C
- Self-extinguishing in accordance with UL94-V0



214-9581 Galvanised steel conduit Ø 20 mm, 50 m



1 309, 65 kr

Cable ties

- Weatherproof cable ties made of nylon 66
- Suitable for outdoor applications
- Excellent UV resistance
- Supplied in packs of 100



811-1482 Cable tie 2.5 × 100 mm

811-1498 Cable tie 4.6 × 200 mm

811-1511 Cable tie 7.6 × 300 mm

811-1502 Cable tie 4.8 × 450 mm



22, 82 kr

82, 11 kr

142, 04 kr

169, 45 kr

Scotch Super 33+ electrical insulating tape

- UV-resistant premium tapes with very good electrical properties
- Resistant to moisture, alkalis, many acids and solvents
- Very high adhesive strength, elasticity and excellent performance even at sub-zero temperatures
- Insulation of cables, lines, connections and connectors
- Wrapping of cables and junctions
- Repair of damaged insulation



176-251 Electrical insulating tape, 6 m

170-1192 Electrical insulating tape, 20 m

33, 54 kr

74, 54 kr

Cable glands

- Plastic fittings in a wide variety of threads
- Completely sealed against dust
- Excellent water resistance
- Lock nut included in delivery
- IP68



822-9739 M12, grey

822-9748 M16, grey

822-9741 M20, grey

822-9745 M25, grey



120, 29 kr

90, 11 kr

132, 02 kr

202, 51 kr

Electrical socket strip with USB power supply

- Electrical socket strip with 6 protective contact sockets
- USB power supply with 5V / 2A
- Switchable
- Cable H05VV-F
- 250V / 16A



146-6745 6 + 2 sockets 5 m

146-6744 6 + 2 sockets 1.5 m




243, 89 kr

166, 89 kr

Tekniska skyddsåtgärder för optimal maskinsäkerhet i överblick

Klicka på ett område för att se produkterna.



SIRIUS ACT EMERGENCY STOP push buttons, 3SU1851

- SIRIUS ACT EMERGENCY STOP push buttons
- Latching, with twist release
- Cutout Ø 22 mm
- In a polyamide housing, developed for industrial applications
- Resistant to oils and cleaning agents



SIEMENS

874-2301	ONA00-2AA2 SIRIUS ACT emergency stop push button, 1 NO	534, 05 kr
193-2721	ONB00-2AA2 SIRIUS ACT emergency stop switch, 2 NC	692, 09 kr
173-6855	ONB00-2AA2 SIRIUS ACT emergency stop switch, 2 NC	1 109, 06 kr

SIRIUS EMERGENCY STOP control stations, 3SU1801

- SIRIUS ACT EMERGENCY STOP push button control stations, rotary unlocking
- Plastic housing with protective collar for 22 mm command devices
- With floor mounting, robust and reliable



SIEMENS

874-2305	ONA00-2AC2 EMERGENCY STOP Control Station, 1 NC	912, 84 kr
874-2314	ONB00-2AC2 EMERGENCY STOP Control Station, 2 NC	939, 50 kr

XALK push button mounting housing

- XALK plastic housing from Schneider Electric
- EMERGENCY STOP and EMERGENCY OFF function, with rotary release
- For industrial switches Ø 22 mm from the Harmony XB5 series



795-1295	XALK178 EMERGENCY STOP push button, 1 NO	430, 14 kr
330-8587	XALK178F EMERGENCY STOP push button, 2 NC	497, 35 kr
609-4708	XALK178E EMERGENCY STOP push button, 1 NO	497, 35 kr
609-4714	XALK178G EMERGENCY STOP push button, 1 NO+ 2 NC	604, 89 kr

XALK EMERGENCY OFF push button

- Harmony XALK control stations
- Compatible with the Harmony XB5 series control and signalling units
- Ideal for industrial, building and infrastructure applications
- Large selection with round and square heads on RS Online



195-8731	XALK84W3BE EMERGENCY STOP Control Box, 1 NO+ 1 NO	793, 35 kr
-----------------	---	-------------------

ABB 1SFA EMERGENCY STOP push button

- Push button series CEPY1, highest reliability
- Tested under extreme conditions, proven in the harshest environments
- Degree of protection up to IP69K and 4X
- Easy and quick installation



185-479	CEPY1-1001 EMERGENCY STOP pushbutton 2 NC, turn to unlock	372, 24 kr
185-542	CEPY1-1002 EMERGENCY STOP push button 2 NC, pull release	388, 99 kr
185-609	CEPY1-2001 EMERGENCY STOP protective collar 2 NC, turn to unlock	430, 87 kr
185-485	CEPY1-2002 EMERGENCY STOP protective collar 2 NC, pull release	448, 55 kr

Eaton EMERGENCY STOP button

- M22 EMERGENCY STOP button with signal colour yellow / red
- Complete units with key lock
- Approvals UL, CSA, IEC / EN60947



810-3813	Eaton M22 EMERGENCY STOP push button, 2 NC	529, 41 kr
399-3129	Eaton M22 EMERGENCY STOP push button, 1 NO+ 1 NO	529, 41 kr

RS PRO foot switch

- Robust foot switch made of die-cast aluminium, for rough continuous use
- Different contact arrangement
- Sealed according to protection class IP67



211-0698	Foot switch 1 NO / 6 A	1 049, 23 kr
211-0711	Foot switch with protective cover 1 NO / 3 A	1 561, 10 kr
228-2103	Foot switch with protective cover 1W / 21 A	2 617, 37 kr

Bernstein foot switch

- Industrial foot switch, series 606 from Bernstein
- In one-, two- and three-pedal versions
- Metal-encapsulated aluminium housing with protective cover
- Rated insulation voltage of 400 Vac
- Degree of protection IP65



410-7060	1-pedal EMERGENCY STOP foot switch, 1 NO+1 NC tactile	1 111, 11 kr
410-7284	2-pedal EMERGENCY STOP foot switch, 2 NO+2 NC momentary	2 062, 39 kr
410-7335	3-pedal EMERGENCY STOP foot switch, 3S+3Ö momentary	4 560, 20 kr

Bernstein emergency stop foot switch

- Three-stage enabling switch OFF-ON-OFF
- One-pedal foot switch with 2-NO + 1-NC contact
- With two working contacts and one signalling contact
- Actuation of the working contacts via positive opening
- The working contacts remain open in the return stroke



136-3184	1-Pedal emergency stop foot switch, 2NO/NC	2 580, 47 kr
136-3185	1-Pedal emergency stop foot switch, 2NO/NC	3 295, 87 kr
136-3186	1-Pedal emergency stop foot switch with cover, 2NO/NC 6061500569	3 009, 27 kr

ABB foot switch

- One-pedal EMERGENCY STOP foot switch series IPS from ABB
- Thermoplastic fibreglass housing, yellow
- Snap-action switch with cover, visible release
- Electrically separated contacts
- IP65 degree of protection



825-1720	1-pedal EMERGENCY STOP foot switch, 1 NO+1 NC tactile	777, 17 kr
-----------------	---	-------------------

SIRIUS 3SE2 two-pedal foot switch

- Safety foot switch in a metal housing
- Two-pedal design, for rough applications
- Mounting holes for fixing to the floor
- Degree of protection IP65



764-4082	2-pedal foot switch 1 NO+1 NC, 3SE2932-0AB20	2 506, 04 kr
764-4086	2-pedal foot switch 2 NO+2 NC, 3SE2932-1AB20	2 346, 08 kr

SIRIUS 3SE2 one-pedal foot switch

- Safety foot switch with protective cover
- Single pedal, with locking function
- Cable guide M20 × 1.5 mm
- Degree of protection IP65



764-4102	1-pedal foot switch 1 NO+1 NC	2 186, 12 kr
764-4105	1-pedal foot switch 2 NO+2 NC	2 079, 48 kr

ABB Safeball two-hand control switch

- Two-hand control system series JSTD25 from ABB
- Paired arrangement of two JSTD1 Safeballs to form a two-hand device
- Can be used on the table or mounted on aluminium profiles
- Meets safety category 4, protection class IP65



ABB

733-2348 JSTD25F two-hand station, 2 Safeballs

3 095, 21 kr



Preventa two-hand control panel

- Control of potentially dangerous machines
- Direct assembly on the machine housing
- Two pushbuttons with spring return for the control and an EMERGENCY STOP push button
- Ø 22 openings provided, for the assembly of Harmony signalling devices type XB4
- Protection class IP65



Elektronische Systeme

611-1392 XY2SB71 Preventa two-hand control station **4 880, 48 kr**



Control switch

- Extremely robust, ambidextrous control station for control devices from Siemens
- Easy installation, without special tools
- Connection to the most common communication systems: PROFINET, AS-Interface, IO-Link
- IP69K, suitable for use in extreme environments
- Standards: IEC EN 60947-1, IEC EN 60947-5-1



SIEMENS

874-2342 SIRIUS ACT Push button control station

7 144, 88 kr



Allen Bradley touch button

- Allen Bradley 800Z zero force touch button
- Switching with patented field effect technology
- Contact arrangement: one normally open contact and one normally closed contact, tactile
- Suitable for one- or two-hand operation
- Ergonomic design, suitable for Ø 22 mm hole



Allen-Bradley

366-8980 Zero-Force 800Z touch button 1 NO+1 NC, 40 Vdc

3 330 kr



366-9028 Zero-Force 800Z touch button 1 NO+1 NC, 240 Vdc

3 330 kr

Schneider Electric safety relay

- Two-channel safety relay from the Preventa XPSUS series by Schneider Electric
- For monitoring potentially dangerous processes
- Both push buttons must be pressed synchronously for activation
- When one of the two push buttons is released, the control sequence is automatically cancelled



Schneider Electric

200-6140 Schneider Electric safety relay, 24 Vdc

2 608, 01 kr



PILZ safety relay

- Two-channel safety relay from PILZ, for setting up inexpensive and reliable feedback monitoring loops
- Particularly suitable for monitoring external relays and contactors
- Specially designed for two-handed controls and control panels
- LED signal display for supply voltage and channel status



PILZ
THE SPIRIT OF SAFETY

239-1083 PILZ P2HZ X1 safety relay, 24 Vdc

5 146, 88 kr



Limit switch

- Safety switch with plunger actuator
- 1 closer / 1 opener
- Robust fibreglass-reinforced plastic body
- IP67, 15 A
- Electrical life 500,000



179-7568 Safety switch with plunger actuator, NO/NC **221, 70kr**

179-7566 Limit switch roller arm lever actuator, NO/NC **242, 82 kr**

3SE5 limit switch

- Compact designs, modular structure and simple device connection
- For time savings and greater flexibility when installing different switch variants
- The 3SE5 switches are available in 5 different housing sizes with 2 or 3 switching elements



SIEMENS

768-6248 Plastic housing 31 mm, 1 NO + 1 NC **501, 21 kr**

768-6434 Metal housing 31 mm, 1 NO+2 NC **396, 70 kr**

Safety limit switch XCSM

- Preventa security detection
- Coded magnetic safety switches and systems
- 1 to 2 cable entries depending on the design
- Versions with up to 4 contacts



766-1700 Roller tappet, linear actuation **807, 55 kr**

766-1719 Metal dome tappet, linear actuation **743, 45 kr**

440P safety limit switch

- Metal or plastic housings in various sizes
- Choice of snap-action, slow-action contact with 2 or 3 contact configurations
- Actuator heads in different versions



151-2536 Short lever actuator, 1 NO+1 NC **424, 73 kr**

151-2537 Adjustment lever actuator, 1 NO+1 NC **463, 77 kr**

Miniature limit switch type C2

- Smallest switch for security applications
- Two-channel safety monitoring possible
- With captive snap-in cover
- Small hysteresis in the jump system



410-7262 Plastic, creeping system 2 NC **197, 32 kr**

410-6988 Plastic, creeping system 1 NO+ 1 NC **173, 06 kr**

Ex limit switch with safety function

- Ex zone 1 and 21
- Plastic case
- Cold-resistant down to -60°C
- High protection class IP 66 / IP 67 / IP 69
- Construction according to EN 50048



136-5919 Ex ES 97 W-11, slow action 1 NO+1 NC, Zb **2 974, 72 kr**

136-5920 Ex ES 97 W-02, slow action 2 NC, Zb **2 974, 72 kr**

Three-position enabling switch JSHD4

- Ergonomic and customisable
- Simple and safe connection with AS-i
- Tamper protection option for more security



ABB

733-2288 JSHD4-2-AB, additional button in front and above

4 617, 13 kr

733-2297 JSHD4-4-AB, additional button in front

4 546, 15 kr

Three-position enable switch JSHD2C

- The button is the main component in a safe three-position solution
- To achieve the highest level of security, two buttons are used in a two-channel system



ABB

733-2307 JSHD2C type E, enable switch

356, 26 kr

Enable button with handle series 440J

- Access to danger areas with simultaneous control of dangerous machine functions
- Dual enabling buttons with three positions
- Light and ergonomic
- Optional push-to-run operation and emergency stop functions



Allen-Bradley
Guardmaster

703-4921 2 NC Safety, 1 NC Monitoring

1 983, 50 kr

703-4924 2 NC Safety, 1 NC Monitoring, plus 1 NO

2 282, 10 kr

Enable grip switch A4EG

- Enable grip switch with a clear feel for three easily recognisable positions
- Increased operating sensitivity
- Safety circuits can be configured easily



OMRON

746-7188 Two contacts, 1 NC + grip monitoring contact

3 382 kr

757-9051 Switch for tactile operating mode, 2 NO

4 936 kr

757-9058 EMERGENCY STOP button, 2 NC

4 936 kr

Preventa XY2 AU

- Enable switch for authorised personnel when working on hazardous areas of machines
- Protection class IP66 / IP65
- Pre-wired, ISO M20 cable routing



Technische Sensoren

447-4613 2 NO+1 NC, 3-step enable function

3 649, 73 kr

447-4629 2 NO+1 NC, 3-step enable function, plus 1 NO

3 806, 76 kr

Preventa XPSVC1132P

- Used with an enable switch XY2 AU to monitor enable switches
- Allows adjustment, programming or maintenance work in the vicinity of hazardous areas on machines



Schneider Electric

125-1104 Safety module enable switch monitoring, 24V dc removable

3 293, 29 kr

RFID safety switch

- Non-contact, family-coded RFID safety switches
- With 8-pin M12 connector
- Dimensions 25 × 106 mm
- Delivery condition: ready for operation



SIEMENS

755-5706	RFID safety switch	2 111, 47 kr
755-5712	RFID safety switch with magnetic latching	3 060, 57 kr

Preventa magnetic safety switch

- Preventa XCSDMP series from Telemecanique Sensors
 - Coded magnetic safety switches, stepped switching
 - In a rectangular thermoplastic housing, 88 × 25 × 13 mm
 - Various assembly, connection and contact configurations available
- All properties and data sheets can be found on RS Online



195-1904	XCSDMP Preventa magnetic safety switch, 1 NO+1 NC	1 000, 29 kr
195-1909	XCSDMP Preventa magnetic safety switch, 2 NC	864, 42 kr

Bernstein RFID safety switch

- Bernstein SRF series RFID safety switches
- With contactless safety sensor
- Safe up to PL e even when connected in series
- Innovative diagnostic system makes the RFID device suitable for Industry 4.0
- Coding types high / low / unic with over 1,000 codes
- Cost-saving thanks to 4-pin M12 connections with a 250 mm cable from sensor to sensor



179-0483	SRF-2 RFID safety switch, 24 V / 100 mA	793, 66 kr
179-0484	SRF-0 actuator for RFID safety switcher	132, 27 kr

PSEnmag magnetic safety switch

- Contactless magnetic safety switches, series PSEnmag from PILZ
- Flexible cable outlet with connector
- Working distance of 3 mm or 10 mm
- Additional signal contact and LED
- Suitable for use in heavily contaminated applications



619-2818	PSEnmag magnetic safety switch, 2 NO	623, 08 kr
824-4918	PSEnmag magnetic safety switch, 1 NO+1 NC	611, 95 kr

Sick RFID safety switch

- Transponder safety switch series STR1, with monitored semiconductor outputs
- Can be safely connected individually or in series
- High protection against tampering, available with three codes
- Various actuators available on RS Online



146-6206	STR1 RFID safety switch, M12 plug / 5-pole	1 462 kr
146-6207	STR1 RFID safety switch, M12 plug / 8-pole	1 548 kr

Schmersal RFID safety switch

- Contactless safety switch RSS260 with RFID technology
- Developed for applications in safety circuits
- For monitoring the position of movable guards
- Compact design, high flexibility, excellent protection against manipulation



880-1820	RSS260 RFID safety switch, one-time coded	1 645, 67 kr
880-1832	RSS260 RFID safety switch, codable	1 150, 51 kr

Telemecanique solenoid interlock switch

- Safety limit switch XCSTE plastic with separate actuator and lock
- Reversible drive head, protection class IP 67, cable entry
- Auxiliary switch with positive opening without snap function
- Locking by de-energised state
- Unlocking by switching on the electromagnet
- Coil voltage 24 Vac / dc



Technische Zeichnung
Sensoren

397-2223	XCSTE7311 solenoid interlock switch, 2 NC	2 367, 86 kr
301-9984	XCSTE7312 solenoid interlock switch, 2 NC	2 533, 30 kr
814-7031	XCSTE7313 solenoid interlock switch, 2 NC	2 564, 32 kr

SIRIUS magnetic solenoid interlock switch

- Safety limit switch with spring-force locking
- Five approach directions, locking force 1300 N
- With spring-force or magnetic-force locking
- Delivery without actuator, please order separately



SIEMENS

498-959	24 Vdc solenoid interlock switch, 1 NO+2 NC	2 783, 30 kr
763-6946	230 Vac solenoid interlock switch, 1 NO+2 NC	2 783, 30 kr

Guardmaster® magnetic solenoid interlock switch

- Guardmaster® series TLS-GD2 magnetic interlock switches
- Guard with locking tongue, for demanding applications
- Provides insulation of the power supply when the guard is open
- Switch with three safety contacts, 1 × opener and 2 × closer auxiliary contacts



Allen-Bradley
Guardmaster

351-3852	440G-T27121 magnetic solenoid interlock switch, 24 Vac/dc	2 516, 70 kr
357-9290	440G-T27123 magnetic solenoid interlock switch, 230 Vac	2 793, 97 kr
357-9177	440G-T27124 magnetic solenoid interlock switch, 110 Vac	2 793, 97 kr

Schmersal magnetic solenoid interlock switch

- Switch for magnetic locking unit AZM170 from Schmersal
- Robust safety door lock for many applications in industrial environments
- Electromechanical actuation, supply voltage 24 Vac / dc
- Protection class up to IP67 in accordance with IEC / EN 60529
- High protection class IP67 in accordance with IEC / EN 60529



SCHMERSAL

741-8691	AZM170-11ZRK magnetic solenoid interlock switch	2 028, 96 kr
741-8679	AZM170-02ZRK magnetic solenoid interlock switch	2 028, 96 kr
742-0701	AZM170-11ZRKA magnetic solenoid interlock switch	2 028, 96 kr
741-8685	AZM170-02ZRKA magnetic solenoid interlock switch	2 028, 96 kr

Bernstein magnetic safety switch

- Safety limit switches, SLK series from Bernstein
- With triple-coded, tamper-proof mechanism
- Contact arrangement: 2 × opener / 2 × closer
- Spring clamp connection, protection class IP67



BERNSTEIN

136-3174	Magnetic solenoid interlock switch, 24 Vac/dc	2 127, 43 kr
136-3175	Magnetic solenoid interlock switch, 110/230 Vac	2 220, 03 kr
136-3177	Magnetic solenoid interlock switch 2 NC, 24 Vac/dc	2 218, 92 kr
136-3178	Magnetic solenoid interlock switch 2 NC, 110/230 Vac	2 220, 03 kr

Omron magnetic solenoid interlock switch

- The world's smallest of this interlock switch class with guard locking
- Significantly reduced magnetic switch current
- Complies with the Machinery Directive, Low Voltage Directive, EMC Directive, EN 1088, EN 60204-1, GS-ET-19
- Reduced wiring time with one-touch mounting and removal
- Key holding force of 1300 N



OMRON

862-1696	D4SL-N4AFA magnetic solenoid interlock switch, 24 Vdc	1 758 kr
862-1715	D4SL-N4AFG magnetic solenoid interlock switch, 24 Vdc	1 758 kr
862-1706	D4SL-N4CFA magnetic solenoid interlock switch, 24 Vdc	1 758 kr
862-1703	D4SL-N4CFG magnetic solenoid interlock switch, 24 Vdc	1 758 kr

Siemens grab wire switch

- Switch equipped with positive locking and break contacts
- Suitable for monitoring or for EMERGENCY STOP devices, in accordance with EN ISO 13850
- Switching capacity 400 Vac / 6 A
- For wire lengths up to 75 m
- Usable up to category 4, according to EN 954-1



SIEMENS

528-1052	3SE7150-1BD00 grab wire switch, 1 NO+1 NC / 6 A	2 420, 73 kr
528-1030	3SE7150-1BF00 grab wire switch, 2 NC / 6 A	2 420, 73 kr

XY2CH grab wire switch

- XY2CH EMERGENCY STOP grab pull switch from Telemecanique Sensors
- For machine tools, conveyor belts and handling applications
Compliant with EN / IEC 60947-5-1, EN / IEC 60204-1 and EN / ISO 13850
- Product certification UL-NISD for emergency stop devices
Available in various contact configurations on RS Online



195-1897	XY2CH grab wire switch, 1 NO+1 NC / 3 A	1 392, 90 kr
195-1896	XY2CH grab wire switch, 1 NO+2 NC / 1.5 A	1 332, 10 kr

LIFELINE 440E grab wire switch

- Guardmaster grab wire switches of the 440E series in various contact configurations
- Have a cable status display, for spans up to 75 m
- Positive mechanism ensures that the contacts are locked open immediately when actuated
- Can only be reset by deliberately pressing the blue reset button
- Protection against improper or thermal expansion triggering of the system



792-3115	LIFELINE 440E grab wire switch, 2 NO+2 NC / 4 A	1 535, 62 kr
443-8077	LIFELINE 440E grab wire switch, 4O / 4 A	2 015, 50 kr

Bernstein SR grab wire switch

- Grab wire switch with EMERGENCY STOP for a system length of up to 37 m or 75 m
- Switching function: 2 openers / 2 closers
Switching capacity: 250 Vac / 10 A
- Integrated reset button
- Visualisation of the correct wire tension
- Complies with EN418 and IEC947-5-5



136-3163	SR grab wire switch 37 m, 2 NO+2 NC / 10 A	1708, 55 kr
136-3164	SR grab wire switch, 75 m, 2 NO+2 NC / 10 A	2182, 55 kr

PILZ PSEN grab wire switch

- Manually operated grab wire switches PSEN series from PILZ
- Push button with two functions: EMERGENCY STOP and tension release
- For the safe shutdown of conveyor belts and processes in an emergency or in the event of a system malfunction
- The EMERGENCY STOP function can be triggered anywhere along the wire
- Suitable for indoor and outdoor use



744-8718	PSEN grab wire switch, 1 NO+1 NC / 3 A	1 638, 09 kr
744-8711	PSEN grab wire switch, 2 NO+2 NC / 3 A	1 782, 44 kr

Omron ER grab wire switch

- Grab wire switches with and without EMERGENCY STOP function, ER series from Omron
- In a robust, long-lasting design, for the most demanding areas of application
- With wire lengths of up to 80 m, large areas can be covered without having to install numerous EMERGENCY STOP switches
- In IP67 housing, NEMA 6



757-9118	ER grab wire switch with EMERGENCY OFF, 1 NO+2 NC / 3 A	3 615 kr
757-9115	ER grab wire switch without EMERGENCY OFF, 1 NO+2 NC / 3 A	1 994, 17 kr

SIRIUS hinge switch

- SIRIUS 3SE5 series hinge switch in a 40 mm metal housing
- With hollow or solid shaft
- Snap-action contacts 2 NC / 1 NO integrated
- For monitoring doors and flaps with hinges



SIEMENS

691-8196	Metal hinge switch hollow shaft, 1 NO+2 NC / 6 A	483, 19 kr
691-8190	Metal hinge switch solid shaft, 1 NO+2 NC / 6 A	559, 43 kr

Preventa XCS hinge switch

- Preventa XCS XCSPR safety hinge switch from Telemecanique
- Two outputs, release angle offset by 5°
- Slowly separating safety contacts with positive opening
- Ideal for turn or slide protection covers with a small radius of action
- IP67 protected against ingress of liquids



360-4380	Preventa XCS hinge switch, 2 NC / 6 A	514, 93 kr
360-4396	Preventa XCS hinge switch, 1 NO+1 NC / 6 A	497, 35 kr

TESK hinge switch

- TESK hinge switch from Schmersal, with M12 connector connection
- Safety switch for guards with hinges
- Metal housing, with adjustable switching angle
- Version SU-12ST1 with connection below
- Version SU-12ST2 with connection on top



146-5871	TESK 12ST1 hinge switch, 1 NO+2 NC / 2 A	1 326, 05 kr
146-5872	TESK 12ST2 hinge switch, 1 NO+2 NC / 2 A	1 326, 05 kr

SHS3 hinge switch

- Hinge switch, SHS3 series from Bernstein
- Mounting position on the right, swivel angle 0° to 270°
- Switching point freely adjustable via fine adjustment system
- Further variants on RS Online, cable or plug connection, axial and radial



136-3179	SHS3 hinge switch, 1 NO+1 NC / 4 A	2 019, 41 kr
136-3180	SHS3 hinge switch, 1 NO+2 NC / 5 A	2 384, 26 kr

Ensign 3 hinge switch

- Allen-Bradley compact hinge switch, Ensign 3
- With two safety contacts, switching when the guard is turned 3°
- Rotatable head systems with four shaft positions
- Forcibly actuated contacts, according to EN 1088, IEC 947-5-1
- For use with Guardlink technology from Guardmaster



873-2193	Ensign 3 440H hinge switch, 3O / 6 A	400, 60 kr
873-2196	Ensign 3 440H hinge switch, 1 NO+2 NC / 6 A	400, 60 kr

PSEN hinge switch

- PSEN hinge switch from PILZ, for mounting on the right or left
- Together with PILZ control systems, it is suitable for applications with high safety requirements
- Switching point adjustable from 0° to 270°, integrated precision setting system
- Tamper-proof as it is integrated directly into the fuse
- Connection via M12 plug connector, 4-pin



744-8698	PSEN hinge switch left, 2 NC / 4 A	1 583, 68 kr
744-8692	PSEN hinge switch right, 2 NC / 4 A	1 583, 68 kr

PREVENTA XUSL2E light curtain

- PREVENTA XUSL safety light curtains, type 2
- Protect operating personnel from injury - hazardous movement when entering the protective field is stopped
- Manual or automatic start-up mode, monitoring of external contactors
- One of the most compact products on the market, with all the important functions



127-8312 XUSL2E30H016N light curtain T2, 30 × 160 mm

6 331, 63 kr

127-8308 XUSL2E30H181N light curtain T2, 30 × 1810 mm

24 626, 87 kr

PREVENTA XUSL4E light curtain

- PREVENTA XUSL safety light curtains, type 4
- Protect operating personnel from injury - hazardous movement when entering the protective field is stopped
- Manual or automatic start-up mode, monitoring of external contactors
- One of the most compact products on the market, with all the important functions



127-8315 XUSL4E14F016N light curtain T4, 30 × 160mm

11 709, 83 kr

127-8316 XUSL4E30H181N light curtain T4, 30 × 1810 mm

31 937, 97 kr

ABB Orion1 light curtain

- Orion1 light beams from ABB, supplied with transmitter and receiver
- Equipped with finger or hand recognition to secure machines
- Each light barrier can monitor the actuating elements
- With rotation brackets and alignment aid with large setting angle
- M12 connector connection



920-9694 2TLA022 Orion1 light curtain, 16-beam 300 mm

9 593, 20 kr

920-9697 2TLA022 Orion1 light curtain T4, 32-beam 600 mm

13 307, 96 kr

920-9701 2TLA022 Orion1 light curtain T4, 64-beam 1,200 mm

19 803, 58 kr

Omron F3SG light curtain

- Safety light curtain F3SG-RE series from Omron
- Easy to use, ideal for simple ON / OFF detection applications
- Simple to mount, operate and maintain
- Display of QR code for online troubleshooting
- Easy wiring with only 4 wires
- Short response time of 5 ms



125-0683 F3SG-R light curtain T2, 20-beam, 430 mm

5 915 kr

125-0684 F3SG-R light curtain T2, 24-beam, 510 mm

6 465 kr

125-0685 F3SG-R light curtain T2, 28-beam, 590 mm

7 010 kr

SICK deTec4 safety light curtain

- deTec4 Core safety light curtain from Sick
- With an innovative mounting system
- Position in any location on the housing, thus no dead zones
- Integrated LED display, diagnostic functions and automatic distance measurement
- Housing protection class IP65 / IP67



136-3362 C4C light curtain 300 mm, transmitter R14 mm

4 902 kr

136-3363 C4C light curtain 300 mm, receiver R14 mm

6 536 kr

Schmersal SLC440 light curtain

- Light curtain, SLC440 series from Schmersal
- User-friendly parameter setting, integrated setup tool
- Process reliability with maximum availability, even in the event of a fault



146-5824 SLC440 light curtain transmitter, 24-beam 490 mm

7 803, 03 kr

146-5845 SLC440 light curtain receiver, 24-beam 490 mm

8 979, 25 kr

PILZ PSEN light curtain receiver

- PSEN safety light grids are non-contact, thanks to protective devices acting on an IR protective field
- For work areas in which machines, robots and automated systems could endanger people
- LED display for status information
- Resolution: 30 mm
- Conforms to DIN EN 61496-1 and DIN EN 61496-2



PILZ
THE SPIRIT OF SAFETY

191-9842 PILZ PSEN oplI4H light curtain, 300 mm **10 272, 33 kr**

191-9836 PILZ PSEN oplI3H light curtain, 600 mm **10 935, 20 kr**

GuardShield micro light curtains

- Type 4 safety light curtains, for small-scale systems with limited installation options
- More flexibility through connection to an MSR42 control unit
- Connection cable with M12 plug connector
- Complies with IEC61496 and UL61496, CE marking




Allen-Bradley
GuardShield

703-4968 GuardShield micro 400 light curtain, 300 mm **6 309, 09 kr**

703-4971 GuardShield micro 400 light curtain, 600 mm **11 788, 61 kr**

SMARTSCAN light curtains, 1000 Plus

- SMARTSCAN 1000 plus is a light curtain with 40 mm resolution
- Fail-safe electronic two-channel outputs
- Ongoing self-checking of the system, switches off the outputs if an error is detected
- Easy installation and alignment with diagnostic indicator



511-7080 SmartScan 1000 plus light curtain, 24-beam 640 mm **8 918, 63 kr**

511-7119 SmartScan 1000 plus light curtain, 60-beam 1,540 mm **14 947, 83 kr**

SICK V200 security camera

- Single-beam security camera system, with a range of up to 2.1 m
- Optics with IR light beam and reflector with a large opening angle, for seamless monitoring tasks, without blind spots
- Status and diagnosis display through LEDs
- Connection via 8-pin M12 connector
- Housing made of die-cast aluminium, robust and weatherproof



SICK

701-9225 Sick V200 WS security camera **10 539, 23 kr**

SICK security laser scanner

- Compact devices - combine know-how and experience with maximum performance
- Scan their surroundings according to the principle of time-of-flight measurement and measure distances
- Two-dimensional monitoring through the integrated rotating mirror
- Freely definable protection areas up to 3 m, distance measuring range 30 m
- Warning field range 8 m, with 15% remission



SICK

136-3388 Sick S300 Mini Standard S32B-3011BA **2 4015, 50 kr**

136-3386 Sick S300 Advanced S30B-3011 NOA **31 594, 25 kr**

Omron laser scanners

- Compact security laser scanners in a flat housing, for installation in confined spaces
- 270° detection angle, for total coverage of two sides with just one laser scanner
- Up to 70 combinations and operating patterns can be set up for complex AGV applications
- With a safety zone and two warning zones, management via Ethernet



OMRON

862-5868 Omron OS32C-SP1 laser scanner **42 830 kr**

862-5865 Omron OS32C-BP laser scanner **42 830 kr**

SIRIUS 3SK1 safety relay, 24 V

- Single-channel safety relay from the standard series
- For quick, efficient and easy implementation of safety applications
Flexible, modular family of safety switching devices
- Safety category 4 in accordance with ISO 13849-1



SIEMENS

784-5819 3SK1121-2AB40, safety relay 24 Vdc

3 657, 75 kr



SIRIUS 3SK1 safety relay, 240 V

- Single-channel safety relay from the standard series
- For quick, efficient and easy implementation of safety applications
- Flexible, modular family of safety switching devices
- Safety category 4 in accordance with ISO 13849-1



SIEMENS

784-5784 3SK1111-1AW20, safety relay 240 Vac

2 879, 28 kr

784-5796 3SK1111-2AW20, safety relay 240 Vac

2 879, 28 kr



PREVENTA XPSUAB safety relay

- PREVENTA XPS safety relay, 1 and 2 channel
- Safety relay modules from Schneider Electric's Preventa XPSUAB series. Developed for monitoring two-hand control stations
- For emergency stop switches, complementary contacts, circuit breakers and magnetic switches



Schneider Electric

200-6176 XPSUAB11CP, 1-channel safety relay, 24 V

1 032, 29 kr

200-6142 XPSUS32AC, 2-channel safety relay, 48 → 230 V

3 508, 26 kr



PREVENTA XPSUAT safety relay

- PREVENTA XPS safety relay, 3 and 6 channel
- Schneider Electric's Preventa XPSUAT series of safety relay modules
- Provide protection for the user and machine by stopping dangerous movement immediately if a problem is detected within the safety circuit
- For use in monitoring applications with emergency stop circuits, mechanical circuit breakers, magnetic switches with complementary NC contacts



Schneider Electric

200-6135 XPSUAT13A3AP, 3-channel safety relay, 24 V

3 530, 09 kr

200-6137 XPSUDN13AP, 6-channel safety relay, 24 V

2 882, 03 kr



Eaton safety relays

- Eaton ESR5 series safety relays
- For monitoring the signals from safety devices
- Fast and reliable shutdown in an emergency
- In accordance with EN 954-1, EN ISO 13849-1



EATON

812-8957 ESR5-NO-21, 2-channel safety relay, 24 V

2 026, 64 kr

812-8960 ESR5-NO-31, 2-channel safety relay, 24 V

2 367, 86 kr



SNA-4043K safety relay

- SNA 4043K safety relay with LED display from Wieland Electric
- For all devices including elevators and heaters
- Also approved for use as security door surveillance
- EMERGENCY STOP category 0, in accordance with EN 60204-1
Up to category 4: EN 954-1 or SIL 3: EN 62061 and PL e: EN 13849-1



wieland

122-2497 SNA4043K-A safety relay, 24 Vac/dc

2 143, 25 kr

122-2493 SNA4043K-A safety relay, 230 Vac

2 325, 71 kr



PNOZ-X3 EMERGENCY STOP switchgear

- Safety relays from the PNOZ X3 series from PILZ
- For use in potentially dangerous environments
- LED channel status indicators for monitoring the supply voltage
- Semiconductor output signals: Switching status channel 1/2
- Three safety contacts, 1 auxiliary contact



PILZ
THE SPIRIT OF SAFETY

245-1848	PNOZ X3 EMERGENCY STOP switchgear, 24 Vdc	2 148, 53 kr
245-1854	PNOZ X3 EMERGENCY STOP switchgear, 230 Vac	2 148, 53 kr

SAFEMASTER UG 6980 safety relay

- SAFEMASTER C, 24 Vdc safety relay UG 6980 series from Dold
- Multifunctional 2-channel safety modules
- Line fault detection on the ON / OFF button:
- Manual or automatic restart
- Forcibly actuated output contacts



181-2780	UG6980 2-channel safety relay, 2 NO	2 126, 42 kr
181-2779	UG6970 2-channel safety relay, 4S	3 732, 16 kr

Omron G9SE safety relays

- Omron 2-channel safety relay G9SE series
- Connection voltage 24 Vdc, configurable
- Equipped with safety contacts and auxiliary contacts
- Easy and reliable installation and maintenance
- With status display for faster troubleshooting



OMRON

890-3389	G9SE 2-channel safety relay, 2 NO	1 253 kr
890-3382	G9SE 2-channel safety relay, 4S	1 464 kr

PSRclassic safety relay

- PSRclassic safety relay from Phoenix Contact
- Versatile devices - very reliable, thanks to positively driven contacts
- Fast installation and commissioning with convenient connection technology
- Fast wiring, clear diagnosis
- Tested safety and TÜV-certified



PHOENIX CONTACT

666-7078	EMERGENCY STOP protective door monitoring, 24 Vdc	911, 18 kr
666-7117	EMERGENCY STOP protective door monitoring, 24 Vac/dc	1 531, 16 kr

PROTECT SRB301 safety relayT

- wo-channel safety relays, PROTECT SRB301 series from Schmersal
- Control voltage 24 Vac / dc
- For use in safety applications
- Ideal with light beams / curtains, safety mats, switches and locks
- Approvals: BG, USA/CAN



SCHMERSAL

741-8650	SRB301MC safety relay, 24 V	2 258, 96 kr
741-8653	SRB301ST safety relay, 24 V	3 217, 19 kr

Guardmaster® 440R safety relay

- Allen Bradley series 440R Guardmaster dual channel safety relay
- Control voltage 24 Vdc, configurable
- Equipped with two safety contacts + one auxiliary contact
- Integrated functionality of two safety relays in a 22 mm housing
- Electromechanical DI or solid state relay DIS output



Allen-Bradley
Guardmaster

751-1024	440R-D22R2 DI safety relay, 24 V	3 220, 04 kr
751-1027	440R-D22S2 DIS safety relay, 24 V	2 947, 15 kr

RS PRO LED beacons

- Powerful LED beacons in flat design from RS PRO
- Inexpensive solution for applications in all industrial sectors where warning lights are required
- Dimensions: Ø 77 × 95 mm
- Available for voltages from 10 to 100 Vdc, or 110 to 230 Vac



907-5980	LED flash beacon, orange, 10 → 100 Vdc	551, 01 kr
907-5996	LED flash beacon, orange, 110 → 230 Vdc	551, 01 kr
907-5983	LED flash beacon, red, 10 → 100 Vdc	551, 01 kr
907-5999	LED flash beacon, red, 110 → 230 Vdc	551, 01 kr

Patlite LR6 modular signal tower

- Multi-coloured, five-level LED modular signal tower.
- Preconfigured modular beacon tower with LR LEDs in a modular design
- With flashing function and buzzer
- Base mounting, supply voltage 24 Vdc
- Colour spectrum red / yellow / green / white / blue



PATLITE

169-7509	LR6 LED modular signal tower with buzzer, 24 Vdc	2 644, 89 kr
-----------------	--	---------------------

Siemens all-round beacons

- LED all-round beacon from Siemens
- Diameter 70 mm, rotating light
- Power supply: 24 Vac / dc, current consumption 40 mA



SIEMENS

190-6060	LED all-round beacon, green, 24 V	2 314, 09 kr
190-6072	LED all-round beacon, red, 24 V	2 314, 09 kr

SIRIUS flashing light

- SIRIUS LED flashing light elements from Siemens
- Power supply 12 to 230 Vac / dc
- Case diameter 70 mm
- Lighting base BA 15d, without lamp element



SIEMENS

181-1658	SIRIUS LED flashing light element, green, 12 → 230 Vac/dc	512, 94 kr
181-1659	SIRIUS LED flashing light element, red, 12 → 230 Vdc/	512, 94 kr

HARMONY XVR LED beacons

- Classic LED beacons, HARMONY XVR series from Schneider Electric
- Awarded the RedDot Industrial Design Award 2014
- Rotation, flashing and blinking functions, maintenance-free thanks to motorless LED technology
- For visual signalling in factories, construction vehicles and public areas
- Four different colours available on RS Online



901-2421	XVR LED beacon, green, 12 → 24 Vdc	1 893, 38 kr
901-2493	XVR LED beacon lamp, orange, 48 Vdc	1 949, 09 kr
901-2481	XVR LED beacon lamp, red, 48 Vdc	1 734, 02 kr

HARMONY XVC6 LED signal tower

- LED signal tower with buzzer, HARMONY XVC6 series from Schneider Electric
- Power supply 24V DC / AC
- Pre-wired, monolithic Ø 60 mm devices
- Continuous light or flashing function, with extremely bright LED lighting



704-3770	XVC6 LED signal tower, red/orange	2 029, 74 kr
704-3798	XVC6 LED signal tower, red/orange/green	1 626, 48 kr
704-3824	XVC6 LED signal tower, red/orange/green/blue/white	2 419, 56 kr

RS PRO electronic sounders

- Electronic sounders from RS PRO, for a reliable warning in emergencies
- Electromechanical high frequency sound output
- Warns of risk of damage or injury and reduces downtime
- Different models and frequencies available on RS Online



199-9748 RS PRO electronic sounder 24 V, 114 dB **2 614, 80 kr**
199-9747 RS PRO electronic sounder 240 V, 114 dB **2 440, 50 kr**

Patlite sounders, EHS series

- Alarm horns from Patlit EHS series for wall mounting, with exceptional sound quality
- Pre-installed with alarm tones and melodies in MP3 format
- Suitable for plant-wide notifications and public announcements
- Degree of protection IP65, suitable for indoor and outdoor use



PATLITE

124-9248 EHS electronic sounder, 32-tone **2 910, 42 kr**
864-2532 EHS electronic sounder, 63-tone **4 921, 33 kr**

Patrol PA-1 sounders

- Electronic sounders Patrol PA-1, with a sound pressure of 100 dB
- Penetrating acoustic presence, with 80 alarm tones
- Reduction of the required number of sounders per area
- Significantly shorter assembly and installation time
- Impact-resistant housing IK08



846-3642 Patrol PA-1 sounder 80-tone, 24 Vdc **1 064, 37 kr**
846-3645 Patrol PA-1 sounder 80-tone, 240 Vdc **1 501, 35 kr**

Auer signal horns

- Professional series KLH-KDH from Auer
- Electromechanical 1-tone horn in a shockproof housing
- Robust and penetrating, in a compact design.
- Max. sound pressure 108 dB



135-0727 Auer signal horn, grey, 24 Vdc **469, 50 kr**
135-0728 Auer signal horn, grey, 230 Vac **454, 29 kr**

Asserta Midi 32-tone sounder

- Electronic 32-tone alarm devices from the Asserta Midi series by Fulleon
- Sound pressure level up to 110 dB at a distance of 1 m
- Three alarm levels for different warning states



477-4272 Asserta Midi sounder 32-tone, 9 → 60 Vdc **967, 02 kr**
477-4288 Asserta Midi sounder 32-tone, 115 → 230 Vdc **1 219, 28 kr**

Nexus 110, 64-tone sounder

- Electronic sounder and beacon from Klaxon, with 64 tone levels
- Has three alarm levels and 64 tones with volume control
- Fast and reliable installation thanks to the bayonet lock
- Degree of protection IP66



539-4697 Nexus 110 sounder 64-tone, 10 → 60 Vdc **999, 01 kr**
539-4726 Nexus 110 sounder 64-tone, 110 → 230 Vac **1 379, 18 kr**

MC55 Mini sounder and beacon

- Mini sounder and beacons MC55 series from Werma for 24 Vdc connection
- With clear lens, colours red / green / yellow
- Operating temperature range: -20°C to +50°C
- Degree of protection IP65, protection class 2



197-4290	Mini sounder and beacon, cable connection	485 kr
197-4291	Mini sounder and beacon, with M12 plug	562, 95 kr
197-4292	Mini sounder and beacon + buzzer, cable connection	598, 57 kr
197-4293	Mini sounder and beacon + buzzer, with M12 plug	663, 51 kr

Werma 853 beacon

- WERMA LED permanent beacons for voltages of 115 and 230 Vac
- In an attractive square shape with an innovative plug-in system for creating traffic light combinations
- Suitable for base, wall and ceiling mounting



746-5016	Permanent beacon, red	784, 98 kr
746-5019	Permanent beacon, green	784, 98 kr
746-5013	Permanent beacon, yellow	784, 98 kr

EvoSIGNAL Mini beacon lamps

- Sounder and beacon from the EvoSIGNAL Mini series from WERMA, with TwinLight signal image
- Standard solution in signalling - modular, simple and clear
- For power supplies from 115 to 230 Vac
- Suitable for a temperature range from -30° C to +60°C
- Dimensions: Ø 62 × 85 mm
- Other models for alternative voltages can be found on RS Online



197-4167	EvoSIGNAL Mini TwinLIGHT, red	538, 64 kr
197-4173	EvoSIGNAL Mini TwinLIGHT, green	538, 64 kr
197-4177	EvoSIGNAL Mini TwinLIGHT, yellow	538, 64 kr

EvoSIGNAL Midi beacon lamps

- Sounder and beacon from the EvoSIGNAL Midi series from WERMA, with / TwinLight signal image
- Standard solution in signalling - modular, simple and clear
- For power supplies from 115 to 230 Vac
- Suitable for a temperature range from -30° C to +60°C
- Dimensions: Ø 85 × 130 mm



197-4197	EvoSIGNAL Midi TwinLIGHT, red	1 013, 19 kr
197-4202	EvoSIGNAL Midi TwinLIGHT, green	1 013, 19 kr
197-4204	EvoSIGNAL Midi TwinLIGHT, yellow	1 013, 19 kr

EvoSIGNAL Maxi beacon lamps

- Sounder and beacon from the EvoSIGNAL Maxi series from WERMA, with flash EVS TwinFlash signal image
- Standard solution in signalling - modular, simple and clear
- For power supplies from 115 to 230 Vac
- Suitable for a temperature range from -30° C to +60°C
- Dimensions: Ø 120 × 173 mm



197-4222	EvoSIGNAL Maxi TwinLIGHT, red	2 219, 07 kr
197-4229	EvoSIGNAL Maxi TwinLIGHT, green	2 219, 07 kr
197-4231	EvoSIGNAL Maxi TwinLIGHT, yellow	2 219, 07 kr

EvoSIGNAL Mini Combi sounder and beacon

- Alarm beacon from the EvoSIGNAL Mini Combi series from WERMA
- With EVS TwinFlash signal image and 95 dB continuous tone / pulse tone
- For power supplies from 115 to 230 Vac
- Suitable for a temperature range from -30°C to +60°C
- Dimensions: Ø 62 × 85 mm



197-4246	EvoSIGNAL Mini TwinLIGHT Combi, red	943, 12 kr
197-4253	EvoSIGNAL Mini TwinLIGHT Combi, green	943, 12 kr
197-4257	EvoSIGNAL Mini TwinLIGHT Combi, yellow	943, 12 kr

Werma signal tower K37

- Slim 24 Vac / dc LED signal tower, with 1 to 5 optical signalling levels
- Compact, completely closed design - manipulation excluded
- Easy and quick to install
- Ideal for use in all public areas



WERMA

828-8778	K37 signal tower Pulston, green/red	898, 44 kr
828-8781	K37 signal tower Pulston, green/yellow/red	1 140, 73 kr
828-8804	K37 signal tower Pulston, blue/green/yellow/red	1 408, 50 kr

Werma signal tower K37, clear

- Slim 24 Vac / dc LED signal tower, with clear glass and buzzer
- Compact, completely closed design, with 1 to 5 optical signalling levels
- Easy and quick to install
- No manipulation - ideal for public areas



WERMA

828-8788	K37 signal tower clear, green/red	941, 84 kr
828-8790	K37 signal tower, green/yellow/red	1 183, 81 kr
828-8801	K37 signal tower clear, blue/green/yellow/red	1 451, 80 kr

LED Beacon KombiSIGN40

- TwinLIGHT stacking signal tower
- Combines two light image functions, flashing light and continuous light
- Best visibility
- High degree of protection, IP 66 / 69k



WERMA

123-2890	KombiSIGN 40 TwinLIGHT continuous/ flashing light element, red	282, 17 kr
123-2894	KombiSIGN 40 TwinLIGHT continuous/ flashing light element, green	282, 17 kr
123-2887	Adapter for floor mounting	56, 63 kr
123-2886	Connection element	162, 73 kr

LED Beacon KombiSIGN72

- TwinLIGHT stacking signal tower
- Combines two light image functions, flashing light and continuous light
- Best visibility
- Future-proof, upgradeable as a call and notification system



WERMA

184-5126	KombiSIGN 72 TwinLIGHT continuous/flashing light element, red	331, 76 kr
184-5127	KombiSIGN 72 TwinLIGHT continuous/flashing light element, green	331, 76 kr
184-5132	KombiSIGN 72 siren element, 8-tone	562, 10 kr
455-3413	Connection element	202, 51 kr

Call and notification light kit

- AndonBOX-Kit - 24V system, for switching up to four levels
- Pre-assembled beacon column with SmartBOX
- Easy commissioning
- For displaying the phase status or when quick help on site is required
- Reduced waiting times



WERMA

849-5409	AndonLIGHT set with SmartBOX	3 853, 69 kr
-----------------	------------------------------	---------------------

Signal horns 570

- Electromechanical small horns with funnel, sound level 108 dB
- Maximum security through reliable alarms in the event of faults in a wide variety of application areas
- Quick and easy assembly and commissioning



WERMA

360-0552	Horn, 12 Vdc	1 154, 16 kr
360-0568	Horn, 24 Vdc	1 087, 51 kr
360-0574	Horn, 230 Vac	877, 86 kr



Security is more than just a good feeling

See the latest personal protective equipment from RS PRO

When the sparks fly

RS PRO safety goggles effectively protect against particles, liquids, shocks and radiation.

From sensitive to robust

With gloves from RS PRO, you have everything under control, whether it is microorganisms or oils.

Watch your head

RS PRO helmets have excellent shock absorption, are resistant to intrusion and are heat resistant.

Stand steady

RS PRO safety shoes give you support and protection against injuries.

